

PUBLIKATIONEN

1. Erst- und Seniorautorenschaft Originalarbeiten

- 1 **Thiele H**, Lauer B, Schuler G. [Intravenous long-term remodelling of an occluded aortocoronary venous bypass graft]. *Z Kardiol.* 2000;89:1084-1089.
- 2 **Thiele H**, Hambrecht R, Lauer B, Weinert M, Mohr FW, Schuler G. Diagnostic value of intraoperative swabs of heart valves in infective endocarditis. *J Heart Valve Dis.* 2001;10:129-135.
- 3 **Thiele H**, Lauer B, Hambrecht R, Boudriot E, Cohen HA, Schuler G. Reversal of cardiogenic shock by percutaneous left-atrial-to-femoral arterial bypass assistance. *Circulation.* 2001;104:2917-2922.
- 4 **Thiele H**, Nagel E, Paetsch I, Schnackenburg B, Bornstedt A, Kouwenhoven M, Wahl A, Schuler G, Fleck E. Functional cardiac MR imaging with steady-state free precession (SSFP) significantly improves endocardial border delineation without contrast agents. *J Magn Reson Imaging.* 2001;14:362-367.
- 5 **Thiele H**, Mohr FW, Schuler G. Minimally invasive bypass surgery (Correspondence). *N Engl J Med.* 2002;347:2165-2167.
- 6 **Thiele H**, Paetsch I, Schnackenburg B, Bornstedt A, Grebe O, Wellnhofer E, Schuler G, Fleck E, Nagel E. Improved accuracy of quantitative assessment of left ventricular volume and ejection fraction by geometric models with steady-state free precession. *J Cardiovasc Magn Reson.* 2002;4:327-339.
- 7 **Thiele H**, Lauer B, Hambrecht R, Boudriot E, Sick P, Niebauer J, Falk V, Schuler G. Short- and long-term hemodynamic effects of intra-aortic balloon support in ventricular septal defect complicating acute myocardial infarction. *Am J Cardiol.* 2003;92:450-454.
- 8 **Thiele H**, Plein S, Ridgway JP, Breeuwer M, Higgins D, Schuler G, Sivananthan M. Effects of missing dynamic images on myocardial perfusion reserve index calculation: Comparison between an every heartbeat and an alternate heartbeat acquisition. *J Cardiovasc Magn Reson.* 2003;5:343-352.
- 9 **Thiele H**, Plein S, Breeuwer M, Ridgway JP, Higgins D, Thorley PJ, Schuler G, Sivananthan M. Color-encoded semiautomatic analysis for multi-slice first-pass magnetic resonance perfusion: comparison to 99m Technetium single-photon-emission-computed-tomography. *Int J Cardiovasc Imaging.* 2004;20:371-384
- 10 **Thiele H**, Engelmann L, Elsner K, Kappl MJ, Storch WH, Rahimi K, Hartmann A, Pfeiffer D, Kneissl GD, Schneider D, Möller T, Heberling HJ, Weise I, Schuler G. Comparison of prehospital combination-fibrinolysis plus conventional care with prehospital combination-fibrinolysis plus facilitated percutaneous coronary intervention in acute myocardial infarction. *Eur Heart J.* 2005;26:1956-1963.
- 11 **Thiele H**, Oettel S, Jacobs S, Hambrecht R, Sick P, Gummert JF, Mohr FW, Schuler G, Falk V. Comparison of bare-metal stenting with minimally invasive bypass surgery for stenosis of the left anterior descending coronary artery. A 5 year follow-up. *Circulation.* 2005;112:3445-3450.
- 12 **Thiele H**, Sick P, Boudriot E, Diederich KW, Hambrecht R, Niebauer J, Schuler G. Randomized comparison of intraaortic balloon support versus a percutaneous left ventricular assist device in patients with revascularized acute myocardial infarction complicated by cardiogenic shock. *Eur Heart J* 2005; 26:1276-1283.

- 13** **Thiele H**, Dähnert I, Schuler G. Magnetic resonance imaging after percutaneous closure of a ventricular septal defect complicating myocardial infarction. *Eur Heart J*. 2006;27:1136.
- 14** **Thiele H**, Kappl MJ, Conradi S, Niebauer J, Hambrecht R, Schuler G. Reproducibility of chronic and acute infarct size measurement by delayed enhancement magnetic resonance imaging. *J Am Coll Cardiol*. 2006;47:1641-1645.
- 15** **Thiele H**, Scholz M, Engelmann L, Storch WH, Hartmann A, Dimmel G, Pfeiffer D, Schuler G. ST-segment recovery and prognosis in patients with ST-elevation myocardial infarction reperfused by prehospital combination-fibrinolysis, prehospital initiated facilitated PCI or primary PCI. *Am J Cardiol*. 2006;98:1132-1139.
- 16** **Thiele H**, Kappl MJ, Linke A, Erbs S, Boudriot E, Lembcke A, Kivelitz D, Schuler G. Influence of time-to-treatment, TIMI-flow grades, and ST-segment resolution on infarct size and infarct transmuralty as assessed by delayed enhancement magnetic resonance imaging. *Eur Heart J*. 2007;28:1433-1439.
- 17** Eitel I, Fuernau G, Walther C, Razek V, Kivelitz D, Schuler G, **Thiele H**. Delayed enhancement magnetic resonance imaging in isolated noncompaction of ventricular myocardium. *Clin Res Cardiol*. 2008;97:277-279.
- 18** **Thiele H**, Schindler K, Friedenberger J, Eitel I, Fürnau G, Grebe E, Erbs S, Linke A, Möbius-Winkler S, Kivelitz D, Schuler GC. Intracoronary compared with intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. *Circulation*. 2008;118:49-57.
- 19** **Thiele H**, Schuster A, Erbs S, Linke A, Lenk K, Adams V, Hambrecht R, Schuler G. Cardiac magnetic resonance imaging at 3 and 15 months after application of circulating progenitor cells in recanalised chronic total occlusions. *Int J Cardiol*. 2009;135:287-295.
- 20** Eitel I, Behrendt F, Schindler K, Kivelitz D, Gutberlet M, Schuler G, **Thiele H**. Differential diagnosis of the apical ballooning syndrome using contrast enhanced magnetic resonance imaging. *Eur Heart J*. 2008; 29:2651-2659.
- 21** Eitel I, Behrendt F, Schindler K, Gutberlet M, Schuler G, **Thiele H**. Takotsubo cardiomyopathy or myocardial infarction? Answers from delayed enhancement magnetic resonance imaging. *Int J Cardiol*. 2009; 135:e9-12.
- 22** Lembcke A, Kivelitz DE, Borges AC, Lachnitt A, Hein PA, Dohmen PA, **Thiele H**. Quantification of aortic valve stenosis: Head-to-head comparison of 64-slice spiral computed tomography with transesophageal and transthoracic echocardiography and cardiac catheterization. *Invest Radiol*. 2009;44:7-14.
- 23** Müller U, Nitzsche S, Eitel I, Gutberlet M, Schuler G, **Thiele H**. Covered rupture of the free left ventricular wall or "only" thrombus in a true aneurysm? *Clin Res Cardiol*. 2008;97:843-845.
- 24** Eitel, I., C. Lücke, Behrendt F, Sareban M, Gutberlet M, Schuler G, **Thiele H**. Full recovery of Takotsubo cardiomyopathy (apical ballooning) in two days. *Int J Cardiol* 2010;143:e51-53.
- 25** **Thiele, H** and G. Schuler. Cardiogenic shock: to pump or not to pump? *Eur Heart J*. 2009;30;389-390.
- 26** **Thiele H**, Kaulfersch C., Daehnert I, Schoenauer M, Eitel I, Borger M, Schuler G. „Immediate primary transcatheter closure of postinfarction ventricular septal defects.“ *Eur Heart J* 2009;30: 81-88.

- 27** Eitel I, Schuler G, **Thiele H**. Tako-tsubo cardiomyopathy or aborted myocardial infarction? Reply. *Eur Heart J*. 2009;30:567-568.
- 28** **Thiele, H**, Neumann-Schriedewind P, Jacobs S, Boudriot E, Walther T, Mohr FW, Schuler G, Falk V. Randomized comparison of minimally invasive direct coronary artery bypass surgery versus sirolimus-eluting stenting in isolated proximal left anterior descending coronary artery stenosis. *J Am Coll Cardiol* 2009;53:2324-31.
- 29** **Thiele H**, Schindler K, Friedenberger J, Eitel I, Fürnau G, Grebe E, Erbs S, Linke A, Möbius-Winkler S, Kivelitz D, Schuler GC. Response to Letter „Intracoronary compared with intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention“. *Circulation*. 2009;119:e20-21
- 30** Eitel I, Gutberlet M, **Thiele H**. Incremental value of cardiovascular magnetic resonance imaging in the differential diagnosis of hypertrophic cardiomyopathy. *Eur Heart J* 2009;30:1939.
- 31** Desch S, Eitel I, Schmitt J, Sareban M, Fuernau G, Schuler G, **Thiele H**. Effect of coronary collaterals on microvascular obstruction as assessed by magnetic resonance imaging in patients with acute ST-elevation myocardial infarction treated by primary coronary intervention. *Am J Cardiol*. 2009;104:1204-1209.
- 32** Eitel I, Schuler G, **Thiele H**. Myocarditis mimicking Takotsubo cardiomyopathy or Takotsubo cardiomyopathy with secondary inflammation? *Eur J Heart Fail* 2009;11:809-810.
- 33** Eitel I, Desch S, Sareban M, Fuernau G, Gutberlet M, Schuler G, **Thiele H**. Prognostic significance and magnetic resonance imaging findings in aborted myocardial infarction after primary angioplasty. *Am Heart J*. 2009;158:806-813.
- 34** **Thiele H**, Hildebrand L, Schirdewahn C, Eitel I, Adams V, Fuernau G, Erbs S, Linke A, Diederich KW, Nowak M, Desch S, Gutberlet M, Schuler G. Impact of high-dose N-acetylcysteine versus placebo on contrast-induced nephropathy and myocardial reperfusion injury in unselected patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. *J Am Coll Cardiol*. 2010; 55:2201-2209.
- 35** Desch S, Schmidt J, Kobler D, Sonnabend M, Eitel I, Sareban M, Rahimi K, Schuler G, **Thiele H**. Effect of cocoa products on blood pressure: Systematic review and meta-Analysis. *Am J Hypertens* 2010;23:97-103.
- 36** Eitel I, Desch S, Fuernau G, Sareban M, Hildebrand L, Gutberlet M, Schuler G, **Thiele H**. Prognostic significance and determinants of myocardial salvage assessed by cardiovascular magnetic resonance in acute reperfused myocardial infarction. *J Am Coll Cardiol*. 2010;55:2470-2479.
- 37** **Thiele H**, Wohrle J, Neuhaus P, Brosteanu O, Sick P, Prondzinsky R, Birkemeyer R, Wiemer M, Kerber S, Schuehlen H, Kleinertz K, Axthelm C, Zimmermann, R, Rittger H, Braun-Dullaues RC, Lauer B, Burckhardt W, Ferrari M, Bergmann MW, Hambrecht R, Schuler G. Intracoronary compared with intravenous bolus abciximab application during primary percutaneous coronary intervention: Design and rationale of the Abciximab Intracoronary versus intravenously Drug Application in ST-Elevation Myocardial Infarction (AIDA STEMI) trial. *Am Heart J* 2010;159:547-554.
- 38** Desch S, Kobler D, Schmidt J, Sonnabend M, Adams V, Sareban M, Eitel I, Blüher M, Schuler G, **Thiele, H**. Low versus higher dose dark chocolate and blood pressure in cardiovascular high-risk patients. *Am J Hypertens*. 2010;23:694-700.

- 39** Desch S, Harzendorf C, Eitel I, Mohr FW, Schuler G, **Thiele H**. Prevalence and clinical Impact of left coronary dominance in patients with aortic stenosis. *J Heart Valve Dis.* 2011;20:23-28.
- 40** Eitel I, Franke A, Schuler G, **Thiele H**. ST-segment resolution and prognosis after facilitated versus primary percutaneous coronary intervention in acute myocardial infarction: a meta-analysis. *Clin Res Cardiol* 2010;99:1-11.
- 41** Eitel I, Nowak M, Stehl C, Adams V, Fuernau G, Hildebrand L, Desch S, Schuler G, **Thiele H**. Endothelin-1 release in acute myocardial infarction as a predictor of long-term prognosis and no-reflow assessed by contrast-enhanced magnetic resonance imaging. *Am Heart J* 2010;159:882-890.
- 42** Desch S, de Waha S, Eitel I, Koch A, Schuler G, **Thiele H**. Effect of coronary collaterals on long-term prognosis in patients undergoing primary angioplasty for acute ST-elevation myocardial infarction. *Am J Cardiol* 2010;106:605-611.
- 43** Eitel I, Gutberlet M, Schuler G, **Thiele H**. Biventricular stress-induced (Takotsubo) cardiomyopathy with left midventricular and right apical ballooning. *Int J Cardiol*;2011:151:e63-64.
- 44** de Waha S, Desch S, Eitel I, Fuernau G, Zachrau J, Leuschner A, Gutberlet M, Schuler G, **Thiele H**. Impact of early versus late microvascular obstruction assessed by magnetic resonance imaging on long-term outcome after ST-elevation myocardial infarction – A comparison to traditional prognostic markers. *Eur Heart J* 2010;31:2660-2668.
- 45** Desch S, Eitel I, Rahimi K, De Waha S, Schuler G, **Thiele H**. Timing of invasive treatment after fibrinolysis in ST elevation myocardial infarction – a meta-analysis of immediate or early routine versus deferred or ischemia-guided randomised controlled trials. *Heart* 2010;96:1695-1702.
- 46** **Thiele H**. N-acetylcysteine somewhere between Scylla and Charybdis. *J Am Coll Cardiol* 2010;56:1065-1070.
- 47** Eitel I, Desch S, Schindler K, Fuernau G, Schuler G, **Thiele H**. Aborted myocardial infarction in intracoronary compared with standard intravenous abciximab administration in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction. *Int J Cardiol* 2011;153:31-25.
- 48** **Thiele H**, Boudriot E, Walther T, Liebetau C, Boeckstegers P, Pohl T, Reichart B, Mudra H, Beier F, Gansera B, Neumann FJ, Gick M, Zietak T, Desch S, Schuler G, Mohr FW. Randomized comparison of percutaneous coronary intervention with sirolimus-eluting stents versus coronary artery bypass grafting in unprotected left main stem stenosis. *J Am Coll Cardiol.* 2011;57:538–545.
- 49** Eitel I, Desch S, Schuler G, **Thiele H**. Myocardial salvage index and infarct size represent related but distinct components of acute ST-segment elevation myocardial infarction. *J Am Coll Cardiol.* 2011;57:221-222.
- 50** Eitel I, Friedenberger J, Fuernau G, Dumjahn A, Desch S, Schuler G, **Thiele H**. Intracoronary versus intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention - 6-month effects on infarct size and left ventricular function. *Clin Res Cardiol.* 2011;100:425–432
- 51** Müller U, Eitel I, Eckrich K, Erbs S, Linke A, Möbius-Winkler S, Mende M, Schuler G, **Thiele H**. Impact of minimising door-to-balloon times in ST-elevation myocardial infarction to less than 30 minutes on outcome - An analysis over an 8-year period in a

tertiary care centre. *Clin Res Cardiol.* 2011;100:297-309.

- 52** Desch S, Schloma D, Möbius-Winkler S, Erbs S, Linke A, Yu J, Lauer B, Kleinertz K, Dänschel W, Schuler G, **Thiele H**. Randomized comparison of a polymer-free sirolimus-eluting stent versus a polymer-based paclitaxel-eluting stent in patients with diabetes mellitus: The LIPSIA Yukon Trial. *JACC Cardiovasc Interv.* 2011;4:452-459.
- 53** Lembcke A, Durmus T, Westermann Y, Geigenmueller A, Claus B, Butler C, **Thiele H**. Assessment of mitral valve stenosis at multislice spiral computed tomography: Head-to-head comparison with transthoracic doppler echocardiography and cardiac catheterization. *Am J Roentgenol* 2011;197:614-622.
- 54** Bahrmann P, Rach J, Desch S, Schuler G, **Thiele H**. Incidence and distribution of occluded culprit arteries and impact of coronary collaterals on outcome in patients with non-ST-segment elevation myocardial infarction and early invasive treatment strategy. *Clin Res Cardiol* 2011;100:457-467.
- 55** Fuernau G, Eitel I, Franke A, Hildebrand L, Meissner J, De Waha S, Lurz P, Gutberlet M, Desch S, Schuler G, **Thiele H**. Myocardium at risk in ST-elevation myocardial infarction: Comparison of T2-weighted edema imaging with the endocardial surface area assessed by magnetic resonance imaging and validation against angiographic scoring. *JACC Cardiovasc Imag.* 2011;4:967-976.
- 56** **Thiele H**, Eitel I, Meinberg C, Desch S, Leuschner A, Pfeiffer D, Hartmann A, Lotze U, Strauß W, Schuler G. Randomized comparison of of prehospital initiated facilitated PCI versus primary PCI in acute myocardial infarction very early after symptom onset. The Leipzig Immediate Prehospital facilitated Angioplasty-Trial (LIPSIA-STEMI Trial). *JACC Cardiovasc Interv.* 2011;4:605-614.
- 57** Desch S, Engelhardt H, Meissner J, Eitel I, Sareban M, Fuernau G, de Waha S, Grothoff M, Gutberlet M, Schuler G, **Thiele H**. Reliability of myocardial salvage assessment by cardiac magnetic resonance imaging in acute reperfused myocardial infarction. *Int J Cardiovasc Imaging.* 2012;28:263-272.
- 58** Eitel I, Adams V, Hildebrand L, Desch S, Schuler G, **Thiele H**. Growth-differentiation factor-15 as predictor of mortality in acute reperfused ST-elevation myocardial infarction: Insights from cardiovascular magnetic resonance. *Heart* 2011;97:632-640.
- 59** Eitel I, Kubusch K, Strohm O, Desch S, Mikami Y, de Waha S, Gutberlet M, Schuler G, Friedrich MG, **Thiele H**. Prognostic value and determinants of a hypointense infarct core in T2-weighted cardiac magnetic resonance in acute reperfused ST-elevation myocardial infarction. *Circ Cardiovasc Imaging.* 2011;4:354-362.
- 60** Eitel I, Desch S, De Waha S, Fuernau G, Gutberlet M, Schuler G, **Thiele H**. Sex differences in myocardial salvage and clinical outcome in patients with acute reperfused ST-elevation myocardial infarction. *Circ Cardiovasc Imaging.* 2012;5:119-126.
- 61** Eitel I, von Knobelsdorff-Brenkenhoff F, Bernhardt P, Carbone I, Muellerleile K, Aldrovandi A, Francone M, Desch S, Gutberlet M, Strohm O, Schuler G, Schulz-Menger J, Friedrich MG, **Thiele H**. Clinical characteristics and cardiovascular magnetic resonance findings in stress (Takotsubo) cardiomyopathy: A multicenter series in Europe and North America. *JAMA* 2011;306:277-286.
- 62** Droppa M, Desch S, Blase P, Eitel I, Fuernau G, Schuler G, Adams V, **Thiele H**. Impact of N-acetylcysteine on contrast induced nephropathy defined by cystatin C in patients with ST-elevation myocardial infarction undergoing primary angioplasty. *Clin Res Cardiol.* 2011;100:1037-1043.

- 63** Eitel I, Desch S, de Waha S, Fuernau G, Gutberlet M, Schuler G, **Thiele H**. Long-term prognostic value of myocardial salvage assessed by cardiovascular magnetic resonance in acute reperfused myocardial infarction. *Heart*. 2011;97:2038-2045.
- 64** Eitel I, Desch S, **Thiele H**. Cardiac MRI as end point in clinical trials. *Heart*. 2011;97:1991.
- 65** **Thiele H**, Rach J, Klein N, Pfeiffer D, Hartmann A, Hambrecht R, Sick P, Eitel I, Desch S, Schuler G. Optimal timing of invasive angiography in stable non-ST-elevation myocardial infarction – The Leipzig Immediate versus early and late Percutaneous coronary Intervention trial in NSTEMI (LIPSIA-NSTEMI Trial). *Eur Heart J*. 2012;33:2035-2043.
- 66** de Waha S, Eitel I, Desch S, Fuernau G, Lurz P, Haznedar D, Grothoff M, Gutberlet M, Schuler G, **Thiele H**. Time-dependency, predictors and clinical impact of infarct transmural extent assessed by magnetic resonance imaging in patients with ST-elevation myocardial infarction reperfused by primary coronary percutaneous intervention. *Clin Res Cardiol*. 2012;101:191-200.
- 67** Desch S, Siegemund A, Scholz U, Adam N, Eitel I, de Waha S, Fuernau G, Lurz P, Wetzel S, Schuler G, **Thiele H**. Platelet inhibition and GP IIb/IIIa receptor occupancy by intracoronary versus intravenous bolus administration of abciximab in patients with ST-segment elevation myocardial infarction. *Clin Res Cardiol*. 2012;101:117-124.
- 68** Grothoff M, Elpert C, Hoffmann J, Zachrau J, Lehmkuhl L, de Waha S, Desch S, Eitel I, Mende M, Gutberlet M, **Thiele H**. Right ventricular injury in ST-elevation myocardial infarction. Risk stratification by visualization of wall motion, edema and delayed enhancement cardiac magnetic resonance. *Circ Cardiovasc Imaging*. 2012;5:60-68.
- 69** Lurz P, Eitel I, Adam J, Steiner JG, M., Desch S, Fuernau G, De Waha S, Sareban M, Luecke C, Klingel K, Kandolf R, Schuler G, Gutberlet M, **Thiele H**. Diagnostic performance of cardiac magnetic resonance imaging as compared to endomyocardial biopsy in patients with suspected myocarditis - are we as good as we thought? *JACC Cardiovasc Img*. 2012;5:513-524.
- 70** **Thiele H**, Wöhrle J, Hambrecht R, Rittger H, Birkemeyer R, Lauer B, Neuhaus P, Brosteanu O, Sick P, Wiemer M, Kerber S, Kleinertz K, Eitel I, Desch S, Schuler G. Intracoronary compared with intravenous bolus abciximab application during primary percutaneous coronary intervention. The randomised Abciximab Intracoronary versus intravenously Drug Application in ST-Elevation Myocardial Infarction (AIDA STEMI) trial. *Lancet*. 2012;379:923-931.
- 71** de Waha S, Desch S, Eitel I, Fuernau G, Lurz P, Leuschner A, Grothoff M, Gutberlet M, Schuler G, **Thiele H**. Relationship and prognostic value of microvascular obstruction and infarct size in ST-elevation myocardial infarction as visualized by magnetic resonance imaging. *Clin Res Cardiol*. 2012;101:487-495.
- 72** Desch S, Boudriot E, Rastan A, Buszman PE, Bochenek A, Mohr FW, Schuler G, **Thiele H**. Bypass surgery versus percutaneous coronary intervention for the treatment of unprotected left main disease - a meta-analysis of randomized controlled trials. *Herz*. 2013;38:48-56.
- 73** **Thiele H**, Schuler G, Neumann FJ, Hausleiter J, Olbrich HG, Schwarz B, Hennersdorf M, Empen K, Fuernau G, Desch S, de Waha S, Eitel I, Hambrecht R, Böhm M, Kurowski V, Lauer B, Minden HH, Figulla HR, Braun-Dullaeus RC, Strasser RH, Rochor K, Maier SK, Möllmann H, Schneider S, Ebel H, Werdan K, Zeymer U. Intraaortic balloon counterpulsation in acute myocardial infarction complicated by cardiogenic shock: Design and rationale of the intraaortic balloon pump in cardiogenic shock II trial (IABP-SHOCK II). *Am Heart J*. 2012;163:938-945.

- 74** **Thiele H**, Eitel I, Brosteanu O, Desch S, Schuler G. Intracoronary compared with intravenous bolus abciximab application during primary percutaneous coronary intervention. The randomised Abciximab Intracoronary versus intravenously Drug Application in ST-Elevation Myocardial Infarction (AIDA STEMI) trial. Correspondence. *Lancet* 2012;380:25-26.
- 75** Fuernau G, Zaehringer S, Eitel I, de Waha S, Droppa M, Desch S, Schuler G, Adams V, **Thiele H**. Osteoprotegerin in ST-elevation myocardial infarction: Prognostic impact and association with markers of myocardial damage by magnetic resonance imaging. *Int J Cardiol.* 2013;167:2134-2139.
- 76** Eitel I, Adams V, Dieterich P, Fuernau G, de Waha S, Desch S, Schuler G, **Thiele H**. Relation of circulating microRNA-133a concentrations with myocardial damage and clinical prognosis in ST-elevation myocardial infarction. *Am Heart J.* 2012;164:706-714.
- 77** Blazek S, Holzhey D, Jungert C, Borger MA, Fuernau G, Desch S, Eitel I, de Waha S, Lurz P, Schuler G, Mohr FW, **Thiele H**. Comparison of bare-metal stenting with minimally invasive bypass surgery for stenosis of the left anterior descending coronary artery - 10-year follow-up of a randomized trial. *JACC Interv.* 2013;6:20-26.
- 78** **Thiele H**, Zeymer U, Neumann FJ, Ferenc M, Olbrich HG, Hausleiter J, Richardt G, Hennersdorf M, Empen K, Fuernau G, Desch S, Eitel I, Hambrecht R, Fuhrman JT, Böhm M, Ebelt H, Schneider S, Schuler G, Werdan K. Intraaortic balloon support for myocardial infarction with cardiogenic shock. *N Engl J Med.* 2012;367:1287-1296.
- 79** Eitel I, Hintze S, de Waha S, Lurz P, Desch S, Schuler G, **Thiele H**. Prognostic impact of hyperglycemia in non-diabetic and diabetic patients with ST-elevation myocardial infarction: Insights from contrast-enhanced magnetic resonance imaging. *Circ Cardiovasc Imaging.* 2013;5:708-718.
- 80** Eitel I, Wöhrle J, Suenkel H, Meissner J, Kerber S, Lauer B, Pauschinger M, Birkemeyer R, Axthelm C, Zimmermann R, Neuhaus P, Brosteanu O, De Waha S, Desch S, Gutberlet M, Schuler G, **Thiele H**. Intracoronary compared with intravenous bolus abciximab application during primary percutaneous coronary intervention in ST-segment elevation myocardial infarction - Cardiac magnetic resonance substudy of the AIDA STEMI trial. *J Am Coll Cardiol.* 2013;61:1447-1454.
- 81** **Thiele H**, Zeymer U, Werdan K. Intraaortic balloon support for myocardial infarction with cardiogenic shock (Correspondence). *N Engl J Med.* 2013;368:80-81.
- 82** de Waha S, Eitel I, Desch S, Scheller B, Böhm M, Lauer B, Gawaz M, Geisler T, Gunkel O, Bruch L, Klein N, Pfeiffer D, Schuler G, Zeymer U, **Thiele H**. Thrombus Aspiration in Thrombus containing culprit lesions in Non-ST-Elevation Myocardial Infarction (TATORT-NSTEMI): study protocol for a randomized controlled trial. *Trials.* 2013;14:110.
- 83** Pittl U, Schratte A, Desch S, Diosteanu R, Lehmann D, Demmin K, Hörig J, Kirsch K, Schuler G, Klemm T, Mende M, **Thiele H**. Invasiv versus non-invasive cooling after in- and out-of-hospital cardiac arrest - A randomized trial. *Clin Res Cardiol.* 2013;102:607-614.
- 84** Desch S, Wöhrle J, Hambrecht R, Rittger H, Birkemeyer R, Lauer B, Neuhaus P, Brosteanu O, Sick P, Pauschinger M, Kerber S, Kleinertz K, de Waha S, Eitel I, Schuler G, **Thiele H**. Intracoronary versus intravenous abciximab bolus in patients with ST-elevation myocardial infarction - 1 year results of the randomized AIDA STEMI trial. *J Am Coll Cardiol.* 2013;62:1214-1215.
- 85** Eitel I, **Thiele H**. Cardioprotection by pre-infarct angina - Training the heart to enhance myocardial salvage. *Eur Heart J Cardiovasc Imaging.* 2013;14:1115-1116.

- 86** Eitel I, Desch S, **Thiele H**. Intracoronary compared with intravenous bolus abciximab application during primary percutaneous coronary intervention in ST-segment elevation myocardial infarction: cardiac magnetic resonance substudy of the AIDA-STEMI trial. Correspondence. *J Am Coll Cardiol*. 2013;61:1516-1518.
- 87** Eitel I, Gehmlich D, Amer O, Wöhrle J, Kerber S, Lauer B, Pauschinger M, Schwab J, Birkemeyer R, Zimmermann R, Mende M, de Waha S, Desch S, Gutberlet M, Schuler G, **Thiele H**. Prognostic relevance of papillary muscle infarction in reperfused infarction as visualized by cardiovascular magnetic resonance *Circ Cardiovasc Imaging*. 2013;6:890-898.
- 88** **Thiele H**, Zeymer U, Neumann F-J, Ferenc M, Olbrich H-G, Hausleiter J, de Waha A, Richardt G, Hennersdorf M, Empen K, Fuernau G, Desch S, Eitel I, Hambrecht R, Lauer B, Böhm M, Ebel H, Schneider S, Werdan K, Schuler G. Intraaortic balloon counterpulsation in acute myocardial infarction complicated by cardiogenic shock. Final 12-month results of the randomised IntraAortic Balloon Pump in cardiogenic shock II (IABP-SHOCK II) Trial. *Lancet*. 2013;382:1638-1645.
- 89** Desch S, Eitel I, Brosteanu O, Schuler G, **Thiele H**. Intracoronary versus intravenous abciximab bolus administration. Correspondence. *J Am Coll Cardiol* 2014;63:1342.
- 90** Lurz P, Eitel I, Klieme B, Luecke C, de Waha S, Desch S, Fuernau G, Klingel K, Kandolf R, Grothoff M, Schuler G, Gutberlet M, **Thiele H**. The potential additional diagnostic value of assessing for pericardial effusion on cardiac magnetic resonance imaging in patients with suspected myocarditis. *Eur Heart J Cardiovasc Imaging*. 2014;15:643-650.
- 91** Desch S, Zeymer U, Werdan K, Schuler G, **Thiele H**. Intra-aortic balloon counterpulsation in acute myocardial infarction complicated by cardiogenic shock (IABP-SHOCK II): final 12 month results of a randomised, open-label trial. Correspondence. *Lancet* 2014;383:410-411.
- 92** de Waha S, Eitel I, Desch S, Fuernau G, Lurz P, Schuler G, **Thiele H**. Association of upstream clopidogrel administration and myocardial reperfusion assessed by cardiac magnetic resonance imaging in patients with ST-elevation myocardial infarction. *Eur Heart J: Acute Cardiovasc Care* 2014;3:110-117.
- 93** **Thiele H**, de Waha S, Zeymer U, Desch S, Scheller B, Lauer B, Geisler T, Gawaz M, Gunkel O, Bruch L, Klein N, Pfeiffer D, Schuler G, Eitel I. Thrombus Aspiration in ThrOmbus containing culpRiT lesions in Non-ST-Elevation Myocardial Infarction. The randomized TATORT-NSTEMI Trial. *J Am Coll Cardiol*. 2014;64:1117-1124.
- 94** Fuernau G, Poenisch C, Eitel I, de Waha S, Desch S, Schuler G, Adams V, Werdan K, Zeymer U, **Thiele H**. Growth-differentiation factor 15 and osteoprotegerin in acute myocardial infarction complicated by cardiogenic shock - A biomarker substudy of the IABP-SHOCK II-trial. *Eur J Heart Fail*. 2014;16:880-887.
- 95** de Waha S, Eitel I, Desch S, Fuernau G, Lurz P, Stiermaier T, Blazek S, Schuler G, **Thiele H**. Prognosis after ST-elevation myocardial infarction - a study on cardiac magnetic resonance imaging versus clinical routine. *Trials*. 2014;15:249.
- 96** Fuernau G, Eitel I, Wöhrle J, Kerber S, Lauer B, Pauschinger M, Schwab J, Birkemeyer R, Pfeiffer S, Mende M, Brosteanu O, Neuhaus N, Desch S, de Waha S, Gutberlet M, Schuler G, **Thiele H**. Impact of chronic statin pretreatment on myocardial damage in ST-elevation myocardial infarction - (From the AIDA STEMI CMR Substudy). *Am J Cardiol*. 2014;114:503-509.
- 97** Desch S, Freund A, de Waha S, Eitel I, Lurz P, Stiermaier T, Fuernau G, Schuler G, **Thiele, H**. Outcome in patients with left-sided native-valve infective endocarditis and

isolated large vegetations. Clin Cardiol 2014;37:626-633.

- 98** Eitel I, Thiele H. Importance of visualization the myocardium at risk in myocardial infarction. Eur Heart J – Cardiovasc Imaging 2014;15:1054-1055.
- 99** Eitel I, de Waha S, Wöhrle J, Fuernau G, Lurz P, Pauschinger M, Desch S, Schuler G, **Thiele H**. Comprehensive prognosis assessment by cardiovascular magnetic resonance imaging following ST-elevation myocardial infarction - A multicenter study. J Am Coll Cardiol. 2014;64:1217-1226.
- 100** Piccolo R, Galasso G, Iversen AZ, Eitel I, Dominguez-Rodriguez A, Gu YL, De Smet BJ, Mahmoud KD, Abreu-Gonzalez P, Trimarco B, Piscione F, **Thiele H**. Effects of baseline coronary occlusion and diabetes mellitus in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. Am J Cardiol. 2014;114:1145-1150.
- 101** Blazek S, Rossbach C, Borger M, Fuernau G, Desch S, Eitel I, Stiermaier T, Lurz P, Holzhey D, Schuler G, Mohr FW, **Thiele H**. Comparison of drug-eluting stenting with minimally invasive bypass surgery for stenosis of the left anterior descending coronary artery - 7-year follow-up of a randomized trial. JACC Cardiovasc Interv. 2014;8(1 Pt A):30-38.
- 102** Fengler K, Fuernau G, Desch S, Eitel I, Neumann FJ, Olbrich HG, de Waha A, de Waha S, Richardt G, Hennersdorf M, Empen K, Hambrecht R, Fuhrman JT, Böhm M, Poess J, Strasser RH, Schneider S, Schuler G, Werdan K, Zeymer U, **Thiele H**. Gender differences in patients with cardiogenic shock complicating myocardial infarction: A substudy of the IABP-SHOCK II-Trial. Clin Res Cardiol. 2014;104:71-78.
- 103** Eitel I, Moeller C, Graf T, **Thiele H**. Recurrence of takotsubo cardiomyopathy with different ballooning patterns. Int J Cardiol. 2014;177:25-26.
- 104** Eitel I, **Thiele H**. [Prognostic role of CMR imaging after myocardial infarction](#). (Correspondence). J Am Coll Cardiol. 2014;64:2069.
- 105** Fuernau G, Poess J, Denks D, Desch S, Heine GH, Eitel I, Seiler S, de Waha S, Ewen S, Link A, Schuler G, Adams V, Böhm M, **Thiele H**. Fibroblast growth factor 23 in acute myocardial infarction complicated by cardiogenic shock: a biomarker substudy of the intra-aortic balloon pump in cardiogenic shock II (IABP-SHOCK II) trial. Critical Care. 2014;18:713.
- 106** Jung C, Fuernau G, Muench P, Desch S, Eitel I, Schuler G, Adams V, Figulla HR, **Thiele H**. Impairment of the endothelial glycocalyx in cardiogenic shock and its prognostic relevance. Shock 2015;43:450-455.
- 107** Schuster A, Faulkner M, Zeymer U, Ourrak T, Eitel I, Desch S, Hasenfuß G, **Thiele H**. Economic implications of intraaortic balloon support for myocardial infarction with cardiogenic shock: An analysis from the IABP-SHOCK II-trial. Clin Res Cardiol. 2015;104:566-573.
- 108** Jung C, Fuernau G, de Waha S, Eitel I, Desch S, Schuler G, Figulla HR, **Thiele H**. Intraaortic balloon counterpulsation and microcirculation in cardiogenic shock complicating myocardial infarction - an IABP-SHOCK II-substudy. Clin Res Cardiol. 2015;104:679-689.
- 109** de Waha S, Eitel I, Desch S, Fuernau G, Lurz P, Urban D, Schuler G, **Thiele H**. Intravenous morphine administration and reperfusion success in ST-elevation myocardial infarction - Insights from cardiac magnetic resonance imaging. Clin Res Cardiol. 2015;104:727-734.

- 110** **Thiele H**, de Waha S, Desch S, Eitel I. [Aspiration thrombectomy: timing should be considered](#). J Am Coll Cardiol. 2015;65:961-962.
- 111** Eitel I, **Thiele H**. Is the electrocardiogram different in recurrent episodes of Takotsubo syndrome involving 2 different left ventricular territories in the same patient? Int J Cardiol 2015;185:218.
- 112** Lurz P, Serpytis R, Blazek S, Seeburger J, Mangner N, Noack T, Ender J, Mohr FW, Linke A, Schuler G, Gutberlet M, **Thiele H**. Assessment of acute changes in ventricular volumes, function and strain after interventional edge-to-edge repair of mitral regurgitation using cardiac magnetic resonance imaging. Eur Heart J Cardiovasc Imaging 2015;16:1399-1404.
- 113** Fuernau G, Poenisch C, Eitel I, Denks D, de Waha S, Poess J, Heine GH, Desch S, Schuler G, Adams V, Werdan K, Zeymer U, **Thiele H**. Prognostic impact of established and novel renal function biomarkers in myocardial infarction with cardiogenic shock: A biomarker substudy of the IABP-SHOCK II-Trial. Int J Cardiol 2015;191:159-166.
- 114** Piccolo R, Eitel I, Galasso G, Iversen AZ, Gu YL, Dominguez-Rodriguez A, De Smet BJ, Mahmoud KD, Abreu-Gonzalez P, **Thiele H**, Piscione F. Intracoronary abciximab in diabetic patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. Vascul Pharmacol 2015;73:32-37.
- 115** **Thiele H**, Schuler G, Neumann FJ, Hausleiter J, Olbrich HG, Schwarz B, Hennersdorf M, Empen K, Fuernau G, Desch S, de Waha S, Eitel I, Hambrecht R, Böhm M, Kurowski V, Lauer B, Minden HH, Figulla HR, Braun-Dullaeus RC, Strasser RH, Rochor K, Maier SK, Möllmann H, Schneider S, Ebel H, Werdan K, Zeymer U. Intraaortic balloon counterpulsation in acute myocardial infarction complicated by cardiogenic shock: Design and rationale of the Intraaortic Balloon Pump in Cardiogenic Shock II (IABP-SHOCK II) trial. Am Heart J 2015;169:e7-8.
- 116** Eitel I, Poess J, Jobs A, Eitel C, de Waha S, Barkhausen J, Desch S, **Thiele H**. Left ventricular global function index assessed by cardiovascular magnetic resonance for the prediction of cardiovascular events in ST-elevation myocardial infarction. J Cardiovasc Magn Reson 2015;17:62.
- 117** Pöss J, Fuernau G, Denks D, Desch S, Eitel I, de Waha S, Link A, Schuler G, Adams V, Böhm M, **Thiele H**. Angiotensin-converting enzyme inhibitor in acute myocardial infarction complicated by cardiogenic shock – A biomarker substudy of the IABP-SHOCK II-Trial. Eur J Heart Fail 2015;17:1152-1160.
- 118** Jobs A, Poess J, Eitel C, Desch S, Eitel I, **Thiele H**. Effect of pericardial effusion complicating ST-elevation myocardial infarction as predictor of extensive myocardial damage and prognosis. Am J Cardiol 2015;116:1010-1016.
- 119** Eitel I, Stiermaier T, Rommel KP, Fuernau G, Sandri M, Mangner N, Linke A, Erbs S, Lurz P, Boudriot E, Mende M, Desch S, Schuler G, **Thiele H**. Cardioprotection by combined intrahospital remote ischaemic preconditioning and postconditioning in ST-elevation myocardial infarction – The randomised LIPSIA CONDITIONING trial. Eur Heart J. 2015;36:3049-3057.
- 120** Meyer-Saraei R, de Waha S, Eitel I, Desch S, Scheller B, Böhm M, Lauer B, Gawaz M, Geisler T, Gunkel O, Bruch L, Klein N, Pfeiffer D, Schuler G, Zeymer U, **Thiele H**. Thrombus aspiration in non-ST-elevation myocardial infarction - 12-month clinical outcome of the randomised TATORT-NSTEMI Trial. Eur Heart J: Acute Card Care. 2017;6:10-17.
- 121** **Thiele H**, Desch S, Piek JJ, Stepinska J, Oldroyd K, Serpytis P, Montalescot G, Noc M, Huber K, Fuernau G, de Waha S, Meyer-Saraei R, Schneider S, Windecker S, Savonitto

- S, Briggs A, Torremante P, Vrints C, Schuler G, Ceglarek U, Thiery J, Zeymer U. Multivessel versus culprit lesion only percutaneous revascularization plus potential staged revascularization in patients with acute myocardial infarction complicated by cardiogenic shock - Design and rationale of CULPRIT-SHOCK trial. *Am Heart J*. 2015;172:160-169.
- 122** de Waha S, Fuernau G, Desch S, Eitel I, Wiedau A, Lurz P, Schuler G, **Thiele H**. Long-term prognosis after extracorporeal life support in refractory cardiogenic shock – Results from a real-world cohort. *EuroIntervention*. 2016;11:1363-1371.
- 123** Schlotter F, de Waha S, Eitel I, Desch S, Fuernau G, **Thiele H**. Interventional post myocardial infarction ventricular septal defect closure - Systematic review of current evidence. *EuroIntervention*. 2016;12:94-102.
- 124** de Waha S, Eitel I, Desch S, Fuernau G, Poess J, Schuler G, **Thiele H**. Impact of multivessel coronary artery disease on reperfusion success in patients with ST-elevation myocardial infarction - a substudy of the AIDA STEMI Trial. *Eur Heart J: Acute Card Care*. 2017;6:592-600.
- 125** de Waha S, Seeburger J, Ender J, Desch S, Eitel I, Reinhardt A, Poess J, Fuernau G, Noack T, Merk DR, Schuler G, Sievers HH, Mohr FW, **Thiele H**. Deep sedation versus general anaesthesia in percutaneous edge-to-edge mitral valve reconstruction using the MitraClip system. *Clin Res Cardiol*. 2016;105:535-543.
- 126** Fuernau G, Eitel I, **Thiele H**. Smoke over myocardial infarction – Cigarettes and reperfusion injury. *Eur Heart J* 2016;37:2765-2767.
- 127** Lurz P, Luecke C, Eitel I, Föhrenbach F, Frank C, Grothoff M, de Waha S, Rommel KP, Lurz JA, Klingel K, Kandolf R, Schuler G, **Thiele H** (shared senior authorship), Gutberlet M. Comprehensive cardiac magnetic resonance imaging in patients with suspected myocarditis - The MyoRacer-Trial. *J Am Coll Card*. 2016;67:1800-1811.
- 128** Desch S, Stiermaier T, de Waha S, Lurz P, Gutberlet M, Sandri M, Mangner N, Boudriot E, Woinke M, Erbs S, Schuler G, Fuernau G, Eitel I, **Thiele H**. Thrombus aspiration in patients with ST-segment elevation myocardial infarction presenting late after symptom onset. *JACC Intv* 2016;9:113-122.
- 129** Blazek S, Lurz P, Mangner N, Fuernau G, Seeburger J, Luecke C, Gutberlet M, Ender J, Desch S, Eitel I, Schuler G, **Thiele H**. Incidence, characteristics and functional implications of cerebral embolic lesions after the MitraClip procedure. *EuroIntervention* 2015;10:1195-1203.
- 130** de Waha S, **Thiele H**. How should I treat a massive left main coronary artery thrombosis in a 49-year-old woman in the context of cardiogenic shock? *EuroIntervention* 2016;11:E1687-1690.
- 131** de Waha S, Fuernau G, Eitel I, Desch S, **Thiele H**. Long-term prognosis after extracorporeal life support in refractory cardiogenic shock - Results from a real-world cohort (Correspondence). *EuroIntervention* 2016;12:414.
- 132** Piccolo R, Eitel I, Galasso G, Dominguez-Rodriguez A, Iversen AZ, Abreu-Gonzalez P, Windecker S, **Thiele H**, Piscione F. (shared senior authorship). 1-year outcomes with intracoronary abciximab in diabetic patients undergoing primary percutaneous coronary intervention. *J Am Coll Card*. 2016;68:727-738.
- 133** Fuernau G, Fengler K, Desch S, Eitel I, Neumann FJ, Olbrich HG, de Waha A, de Waha S, Richardt G, Hennersdorf M, Empen K, Hambrecht R, Jung C, Böhm M, Pöss J, Strasser RH, Schneider S, Ouarrak T, Schuler G, Werdan K, Zeymer U, **Thiele H**. Culprit lesion location and outcome in patients with cardiogenic shock complicating myocardial

- infarction: A substudy of the IABP-SHOCK II-Trial. *Clin Res Cardiol.* 2016; 105:1030-1041.
- 134** Elsner C, Boriani G, Häckl D, Desch S, **Thiele H**. A schematic simulation for health economic feasibility studies: results from a model for cardiac remote monitoring. *OJMSi.* 2016;in press.
- 135** Saad M, Fuernau G, Desch S, Eitel I, Jung C, Pöss J, Schneider S, Schuler G, Werdan K, Zeymer U, **Thiele H**. Smoker's paradox" in patients with cardiogenic shock complicating myocardial infarction - A substudy of the IABP-SHOCK II-trial and registry. *Int J Cardiol.* 2016;222:775-779.
- 136** Zeymer U, Werdan K, Schuler G, Zahn R, Neumann FJ, Fuernau G, de Waha S, Schneider S, **Thiele H**. Impact of immediate multivessel percutaneous coronary intervention versus culprit lesion intervention on 1-year outcome in patients with acute myocardial infarction complicated by cardiogenic shock: Results of the randomised IABP-SHOCK II trial. *Eur Heart J: Acute Card Care.* 2017;6:601-609.
- 137** Fuernau G, Traeder F, Lele SS, Rajapurkar MM, Mukhopadhyay D, de Waha S, Desch S, Eitel I, Schuler G, Adams V, **Thiele H**. Catalytic iron in acute myocardial infarction complicated by cardiogenic shock - A biomarker substudy of the IABP-SHOCK II-Trial. *Int J Cardiol.* 2017;227:83-88.
- 138** Jung C, Fuernau G, Eitel I, Desch S, Schuler G, Kelm M, Adams V, **Thiele H**. Incidence, laboratory detection and prognostic relevance of hypoxic hepatitis in cardiogenic shock. *Clin Res Cardiol.* 2017;106:341-349.
- 139** Abdin A, Poess J, Kandolf R, **Thiele H**. Hydroxychloroquine-induced cardiomyopathy in a patient with limited cutaneous systemic sclerosis. *Clin Res Cardiol.* 2017;106:234-236.
- 140** de Waha S, Graf T, Desch S, Fuernau G, Eitel I, Poess J, Jobs A, Stiermaier T, Ledwoch J, Wiedau A, Lurz P, Schuler G, **Thiele H**. Outcome of elderly undergoing extracorporeal life support in refractory cardiogenic shock. *Clin Res Cardiol.* 2017; 106:379-385.
- 141** Lurz P, Luecke C, Klingel K, **Thiele H**, Gutberlet M. (shared senior authorship) Reply: T1 and T2 mapping in nonischemic cardiomyopathies and agreement with endomyocardial biopsy. *J Am Coll Cardiol.* 2016;68:1925.
- 142** Ledwoch J, Fuernau G, Desch S, Eitel I, Jung C, de Waha S, Pöss J, Schneider S, Schuler G, Werdan K, Zeymer U, **Thiele H**. Drug-eluting stents vs. bare-metal stents in acute myocardial infarction with cardiogenic shock. *Heart.* 2017; Feb 7. pii: heartjnl-2016-310403. doi: 10.1136/heartjnl-2016-310403. [Epub ahead of print].
- 143** Jobs A, Brünjesa K, Katalinic A, Babaev V, Desch S, Reppel M, **Thiele H**. Inferior vena cava diameter in acute decompensated heart failure as predictor of all-cause mortality. *Heart Vessels* 2017; Jan 23. doi: 10.1007/s00380-017-0944-0. [Epub ahead of print].
- 144** de Waha S, Desch S, Eitel I, **Thiele H**. Deep sedation versus general anaesthesia in percutaneous edge-to-edge mitral valve reconstruction using the MitraClip system. (Response). *Clin Res Cardiol* 2017;106:162-163.
- 145** Poess J, Köster J, Fuernau G, Eitel I, de Waha S, Ouarrak T, Lassus J, Harjola VP, Zeymer U, **Thiele H**, Desch S (shared senior authorship). Risk stratification for patients in cardiogenic shock after acute myocardial infarction. *J Am Coll Card* 2017;69:1913-1920.
- 146** Jobs A, Simon R, de Waha S, Rogacev K, Katalinic A, Babaev V, **Thiele H**. Pneumonia and inflammation in acute decompensated heart failure – A registry-based analysis of 1,939 patients. *Eur Heart J: Acute Card Care.* 2017; Mar 1:2048872617700874. doi:

10.1177/2048872617700874. [Epub ahead of print].

- 147** Reinstadler SJ, Stiermaier T, Liebetrau J, Fuernau G, Eitel C, de Waha S, Desch S, Reil J, Poess J, Metzler B, Gutberlet M, Schuler G, **Thiele H**, Eitel I. (shared senior authorship). Prognostic significance of remote myocardium alterations assessed by quantitative non-contrast T1 mapping cardiac magnetic resonance in ST-elevation myocardial infarction JACC Cardiovasc Imag. 2018;11:411-419.
- 148** Stiermaier T, Eitel I, de Waha S, Poess J, Fuernau G, **Thiele H**, Desch S. (shared senior authorship) Myocardial salvage after primary percutaneous coronary intervention in patients with ST-elevation myocardial infarction presenting early versus late after symptom onset. Int J Cardiovasc Img. 2017; Apr 24. doi: 10.1007/s10554-017-1143-x. [Epub ahead of print].
- 149** Jobs A, Mehta SR, Montalescot G, Vicaut E, van't Hof AW, Badings EA, Neumann FJ, Kastrati A, Sciahbasi A, Reuter PG, Lapostolle F, Milosevic A, Stankovic G, Milasinovic D, Vonthein R, Desch S, **Thiele H**. Optimal timing of invasive strategy in patients with non-ST-elevation acute coronary syndrome: A collaborative meta-analysis of randomised trials. Lancet 2017; 390:737-746.
- 150** **Thiele H**, Jobs A, Ouweneel DM, Henriques JP, Seyfarth M, Desch S, Eitel I, Poess J, Fuernau G, de Waha S. Percutaneous short-term active mechanical support devices in cardiogenic shock: A systematic review and collaborative meta-analysis of randomised trials. Eur Heart J 2017;38:3523-3531.
- 151** Quayyum Z, Briggs A, Robles-Zurita JA, Oldroyd K, Zeymer U, Desch S, de Waha S, **Thiele H**. Protocol for an economic evaluation of the randomized controlled trial of culprit lesion only PCI vs. immediate multivessel PCI in acute myocardial infarction complicated by cardiogenic shock: CULPRIT-SHOCK trial. BMJ Open 2017;in press.
- 151** de Waha S, Jobs A, Pöss J, Stiermaier T, Fuernau G, Eitel I, Zeymer U, Desch S, **Thiele H**. Multivessel versus culprit lesion only percutaneous coronary intervention in cardiogenic shock complicating acute myocardial infarction: A systematic review and meta-analysis. Eur Heart J: Acute Card Care 2018;7:28-37.
- 152** de Waha S, Patel MR, Granger CB, Ohman EM, Maehara A, Eitel I, Ben-Yehuda O, Jenkins P, **Thiele H**, Stone GW. (shared senior authorship). Relationship between microvascular obstruction and adverse events following primary PCI for STEMI: An individual patient data pooled analysis from 7 randomised trials. Eur Heart J 2017;38:3502-3510.
- 153** de Waha S, Desch S, Eitel I, Gräsner JT, Jakisch B, **Thiele H**. [Prognostic Impact of lay resuscitation in extrahospital cardiac arrest]. Med Klin Intensivmed Notfmed 2017;112:737-740.
- 154** Jobs A, Desch S, **Thiele H**. Optimal timing of invasive strategy in patients with non-ST-elevation acute coronary syndrome: A collaborative meta-analysis of randomised trials. Great expectations. (Correspondence) Lancet 2017;in press.
- 155** **Thiele H**, Akin I, Sandri M, Fuernau G, de Waha S, Meyer-Saraei R, Nordbeck P, Geisler T, Landmesser U, Skurk C, Fach A, Lapp H, Piek JJ, Noc M, Goslar T, Felix SB, Maier LS, Stepinska J, Oldroyd K, Serpytis P, Montalescot G, Barthelemy O, Huber K, Windecker S, Savonitto S, Torremante P, Vrints C, Schneider S, Desch S, Zeymer U. Multivessel PCI in cardiogenic shock complicating myocardial infarction. N Engl J Med. 2017; 377:2419-2432.
- 156** de Waha S, Schoene K, Fuernau G, Desch S, Eitel I, Poess J, Meyer-Saraei R, Eitel C, Tilz R, Schuler G, Werdan K, Schneider S, Ouarrak T, Zeymer U, **Thiele H**. Prognostic impact of atrial fibrillation in cardiogenic shock complicating acute myocardial infarction - A

substudy of the IABP-SHOCK II Trial. Clin Res Cardiol. 2018;107:233-240.

- 157** Saad M, Fuernau G, Desch S, Eitel I, de Waha S, Pöss J, Ouarrak T, Schneider S, Zeymer U, **Thiele H**. Prognostic impact of non-culprit chronic total occlusions in infarct-related cardiogenic shock: Results of the randomized IABP-SHOCK II trial. EuroIntervention. 2017;epub ahead of print.
- 158** **Thiele H**, Desch S. CULPRIT-SHOCK: Implications on guideline recommendations? Circulation 2018;in press.
- 159** Abdin A, Pöss J, Fuernau G, Ouarrak T, Desch S, Eitel I, de Waha S, Zeymer U, Boehm M, **Thiele H**. Baseline glucose levels in acute myocardial infarction complicated by cardiogenic shock - A substudy of the IABP-SHOCK II-Trial. Clin Res Cardiol. 2018;epub:10.1007/s00392-018-1213-1217.
- 160** Reinstadler SJ, Stiermaier T, Eitel C, Fuernau G, de Waha S, Saad M, Pöss J, Desch S, Metzler B, **Thiele H**, Eitel I. (shared senior authorship) Impact of off-hours versus on-hours primary percutaneous coronary intervention on myocardial damage and clinical outcomes in ST-elevation myocardial infarction. JACC Cardiovasc Interv. 2018;in press.
- 161** Reinstadler SJ, Stiermaier T, Eitel C, Fuernau G, Saad M, Poes J, Desch S, Mende M, Metzler B, **Thiele H**, Eitel I. (shared senior authorship) Impact of atrial fibrillation during ST-elevation myocardial infarction on infarct characteristics and prognosis. Circ Cardiovasc Imaging. 2018;11:e006955. doi: 10.1161/CIRCIMAGING.117.006955.
- 162** Desch S, Zeymer U, **Thiele H**. PCI strategies in patients with acute myocardial infarction and cardiogenic shock (Correspondence). New Engl J Med. 2018;in press.
- 162** de Waha S, Zeymer U, Fuernau G, Desch S, **Thiele H**. Revascularization strategies in patients with acute myocardial infarction and cardiogenic shock. J Am Coll Card. 2018;in press.

2. Zweitautorenschaft Originalarbeiten

- 1 Kuhn A, Kottkamp H, **Thiele H**, Schuler G, Hindricks G. [Idiopathic right ventricular tachycardia or arrhythmogenic right ventricular tachycardia?]. Dtsch Med Wochenschr. 2000;125:692-697
- 2 Lauer B, **Thiele H**, Schuler G. A "new" coronary anomaly: origin of the right coronary artery below the aortic valve. Heart. 2001;85:486-488.
- 3 Alfakih K, **Thiele H**, Plein S, Bainbridge GJ, Ridgway JP, Sivananthan M. Comparison of right ventricular volume measurement between segmented k-space gradient-echo and steady-state free precession magnetic resonance imaging. J Magn Reson Imaging. 2002;16:253-258.
- 4 Diegeler A, **Thiele H**, Falk V, Hambrecht R, Spyranis N, Sick P, Diederich KW, Mohr FW, Schuler G. Comparison of stenting with minimally invasive bypass surgery for stenosis 15st he left anterior descending coronary artery. N Engl J Med. 2002;347:561-566.
- 5 Schwock J, **Thiele H**, Wittekind C. [Sudden cardiac death in a case of systemic sarcoidosis]. Dtsch Med Wochenschr. 2002;127:26-30.
- 6 Alfakih K, Plein S, **Thiele H**, Jones T, Ridgway JP, Sivananthan M. Normal human left and right ventricular dimensions for MRI as assessed by turbo gradient echo and steady-state free precession imaging techniques. J Magn Reson Imaging. 2003;17:323-329.
- 7 Hambrecht R, Adams V, Erbs S, Linke A, Kränkel N, Shu Y, Baither Y, Gielen S, **Thiele H**, Gummert JF, Mohr FW, Schuler G. Regular physical activity improves endothelial function in patients with coronary artery disease by increasing phosphorylation of endothelial nitric oxide synthase. Circulation. 2003;107:3152-3158.
- 8 Paetsch I, **Thiele H**, Schnackenburg B, Bornstedt A, Muller-York A, Schwab J, Fleck E, Nagel E. Improved functional cardiac MR imaging using the intravascular contrast agent Clariscan. Int J Cardiovasc Imaging. 2003;19:337-343.
- 9 Peschel T, Schönauer M, **Thiele H**, Anker S, Schuler G, Niebauer J. Invasive assessment of bacterial endotoxin and inflammatory cytokines in patients with acute heart failure. Eur J Heart Fail. 2003;5:609-614.
- 10 Rotzsch C, Dähnert I, Kostelka M, Geerdts I, **Thiele H**, Bossert T, Häusler HJ. ALCAPA. Clinical spectrum and results of surgery. Monatsschr Kinderheilkd. 2003;151:409-415.

- 11** Sick P, Hüttl T, Niebauer J, **Thiele H**, Lauer B, Hambrecht R, Hentschel B, Schuler G. Influence of residual stenosis after percutaneous coronary intervention with stent implantation on development of restenosis and stent thrombosis. *Am J Cardiol.* 2003;91:148-153.
- 12** Sick P, **Thiele H**, Brosteanu O, Hentschel B, Lauer B, Niebauer J, Hambrecht R, Schuler G. Prospective randomized comparison of early and late results of 4 different stent designs. *Am Heart J.* 2003;146:134-141.
- 13** Niebauer J, Sixt S, Zhang F, Yu J, Sick P, **Thiele H**, Lauer B, Schuler G. Contemporary outcome of cardiac catheterizations in 1085 consecutive octogenarians. *Int J Cardiol.* 2004;93:225-230.
- 14** Niebauer J, Sixt S, Zhang F, Yu J, Sick P, **Thiele H**, Lauer B, Schuler G. Impact of diabetes mellitus type 2 on in-hospital outcome after cardiac catheterizations in a large cohort of octogenarians. *Int J Cardiol.* 2004;96:441-446.
- 15** Erbs S, Linke A, Adams V, Lenk K, **Thiele H**, Diederich KW, Emmrich F, Kluge R, Kendziorra K, Sabri O, Schuler G, Hambrecht R. Transplantation of blood-derived progenitor cells after recanalization of chronic coronary artery occlusion: first randomized and placebo-controlled study. *Circ Res.* 2005;97:756-762.
- 16** Falk V, Mourgues F, Adhami L, Jacobs S, **Thiele H**, Nitzsche S, Mohr FW, Coste-Maniere E. Cardio navigation: planning, simulation, and augmented reality in robotic assisted endoscopic bypass grafting. *Ann Thorac Surg.* 2005;79:2040-2048.
- 17** Sick P, Brosteanu O, Ulrich M, **Thiele H**, Niebauer J, Busch I, Schuler G. Prospective randomized comparison of early and late results of a carbonized stent versus a high-grade stainless steel stent of identical design: The prevention of recurrent venous thromboembolism (PREVENT) trial. *Am Heart J.* 2005;149:681-688.
- 18** Niebauer J, Sixt S, Sick P, **Thiele H**, Schuler G. Peri-interventional risk in 1384 cardiac catheterizations in patients aged 80 years or older. *Dtsch Med Wochenschr.* 2006;131:253-257.
- 19** Piorkowski C, Kottkamp H, Arya A, **Thiele H**, Gerds-Li JH, Sommer P, Gerdes C, Hindricks G. Catheter ablation of ventricular tachycardia in patients with arrhythmogenic right ventricular cardiomyopathy: approach and outcome using three-dimensional electroanatomical mapping. *Semin Cardiol.* 2006;12:27-33.
- 20** Rahimi K, Watzlawek S, **Thiele H**, Secknus M-A, Hayerizadeh B F, Niebauer J, Schuler G. Incidence, time course, and predictors of early malignant ventricular arrhythmias after non-ST-segment elevation myocardial infarction in patients with early invasive treatment. *Eur Heart J.* 2006;27:1706-1711.

- 21** Erbs S, Linke A, Schächinger V, Assmus B, **Thiele H**, Diederich KW, Hoffmann C, Dimmeler S, Tonn T, Hambrecht R, Zeiher AM, Schuler G. Restoration of microvascular function in the infarct-related artery by intracoronary transplantation of bone marrow progenitor cells in patients with acute myocardial infarction. The Doppler substudy of the reinfusion enriched progenitor cells and infarct remodelling in acute myocardial infarction (REPAIR-AMI) trial. *Circulation*. 2007;116:366-374.
- 22** Holzhey DM, Jacobs S, Mochalski M, Walther T, **Thiele H**, Mohr FW, Falk V. Seven-year follow-up after minimally invasive direct coronary artery bypass: experience with more than 1300 patients. *Ann Thorac Surg*. 2007;83:108-114.
- 23** Lembcke A, Meyer R, Kivelitz D, **Thiele H**, Barho C, Albes JM, Hotz H. Papillary fibroelastoma 17st he aortic valve: appearance in 64-slice spiral computed tomography, magnetic resonance imaging, and echocardiography. *Circulation*. 2007;115:e3-6.
- 24** Peschel T, Sixt S, Beitz F, Sonnabend M, Muth G, **Thiele H**, Tarnok A, Schuler G, Niebauer J. High, but not moderate frequency and duration of exercise training induces downregulation 17st he expression of inflammatory and atherogenic adhesion molecules. *Eur J Cardiovasc Prev Rehabil*. 2007;14:476-482.
- 25** Lembcke A, **Thiele H**, Lachnitt A, Enzweiler CN, Wagner M, Hein PA, Eddicks S, Kivelitz DE. Precision of 40-slice spiral computed tomography for quantifying aortic valve stenosis: comparison with echocardiography and validation against cardiac catheterization. *Invest Radiol*. 2008;43:719-728.
- 26** Denktas AE, Athar H, Henry TD, Larson DM, Simons M, Chan RS, Niles NW, **Thiele H**, Schuler G, Ahn C, Sdringola S, Anderson V, McKay RG, Smalling RW. Reduced-dose fibrinolytic acceleration of ST-segment elevation myocardial infarction treatment coupled with urgent percutaneous coronary intervention compared to primary percutaneous coronary intervention alone. *JACC Cardiovasc Interv*. 2008;1:504-510.
- 27** Dill T, Schächinger V, Rolf A, Möllmann S, **Thiele H**, Tillmanns H, Assmus B, Dimmeler S, Zeiher AM, Hamm C. Intracoronary administration of bone marrow derived progenitor cells improves left ventricular function in patients at risk for adverse remodeling after acute STEMI: Results 17st he REPAIR AMI cardiac Magnetic Resonance Imaging substudy. *Am Heart J*. 2009;157:541-547.
- 28** Spöhr F, Meixensberger J, Schwab S, Singer D, **Thiele H**, Böttiger BW. [Actual research results in emergency medicine]. *Notfallmedizin up2date*. 2008;4:7-13.

- 29** Lembcke A, Woinke M, Borges AC, Dohmen PM, Lachnitt A, Westermann Y, Geigenmueller A, Hermann KG, Butler C, **Thiele H**, Kivelitz D. Grading of aortic valve stenosis at 64-slice spiral computed tomography: comparison with transthoracic echocardiography and calibration against cardiac catheterization. *Invest Radiol.* 2009;44:360-368.
- 30** Lehmkuhl L, Grothoff M, Nitzsche S, **Thiele H**, Schuler G, Mohr FW, Gutberlet M. [Cardiac computed tomography]. *Dtsch Med Wochenschr.* 2009;134:993-997.
- 31** Lehmkuhl L, Grothoff M, Nitzsche S, Foldyna B, **Thiele H**, Gutberlet M. Contrast-enhanced multislice computed tomography 18st heart. *Eur Cardiol* 2009;2:1-9.
- 32** Boudriot E, Rastan A, Walther T, **Thiele H**, Desch S, Schuler G, Mohr FW. Revascularization for triple vessel coronary artery disease and left main stem stenosis- Is CABG superior to PCI? *Klinikarzt.* 2009;38:540-544.
- 33** Eitel I, Lücke C, Grothoff M, Sareban M, Schuler G, **Thiele H**, Gutberlet M. Inflammation in Takotsubo cardiomyopathy: Insights from cardiovascular magnetic resonance imaging. *Eur Radiol* 2010;20:422-431.
- 34** Spöhr F, Bernhard M, Meixensberger J, Singer D, **Thiele H**, Böttiger BW. [Actual research results in emergency medicine]. *Notfallmedizin up2date.* 2009;4:345-359.
- 35** Hoppe S, Adams V, Walther C, Busse M, **Thiele H**, Randig C, Fikenzer S, Falz R, Schönauer M. [Endothelial progenitor cells by hyperglycaemia and coronary artery disease]. *Diabet Stoffw Herz.* 2010;3:15-19.
- 36** Erbs S, Beck EB, Linke A, Adams V, Gielen S, Kränkel N, Möbius-Winkler S, Höllriegel R, **Thiele H**, Hambrecht R, Schuler G. High-dose rosuvastatin in chronic heart failure promotes vasculogenesis, corrects endothelial function, and improves cardiac remodeling – Results from a randomized, double-blind, and placebo-controlled study. *Int J Cardiol.* 2011;146:56-63.
- 37** Lücke C, Schindler K, Lehmkuhl L, Grothoff M, Eitel I, Schuler G, **Thiele H**, Kivelitz D, Gutberlet M. Prevalence and functional impact of lipomatous metaplasia in scar tissue following myocardial infarction evaluated by MRI. *Eur Radiol* 2010;20:2074-2083.
- 38** Desch S, Sonnabend M, Niebauer J, Sixt S, Sareban M, **Thiele H**, Blüher M, Schuler G. Effects of physical exercise versus rosiglitazone on endothelial function in coronary artery disease patients with prediabetes. *Diabetes Obes Metab* 2010;12:825-828.

- 39** Rastan AJ, **Thiele H**, Schuler G, Mohr FW. [Coronary artery bypass surgery for the treatment of acute coronary syndromes]. *Herz* 2010; 35:70-78.
- 40** Mattusch C, Diederich KW, Schmidt A, Scheinert D, **Thiele H**, Schuler G, Desch S. Effect of carotid artery stenting on the release of S-100B and Neurone Specific Enolase. *Angiology*. 2011;62:376-380.
- 41** Hinkelbein, Singer D, **Thiele H**, Meixensberger J, Böttiger BW. [Actual research results in emergency medicine]. *Notfallmedizin up2date*. 2010;5:253-268.
- 42** Heilmann T, Richter C, Noack H, Post S, Mahnkopf D, Mittag A, **Thiele H**, Figulla HR. Drug release profiles of different drug-coated balloon platforms. *Interv Cardiol*. 2010;6:40-44.
- 43** Schoenauer M, **Thiele H**, Thomas A. [Closed-Loop-Systems in diabetology. At the stage of clinical use?]. *Diabetes aktuell*. 2010;8:312-317.
- 44** Lehmkuhl L, Foldyna B, Nagel HD, Grothoff M, Nitzsche S, **Thiele H**, Mohr FW, Hindricks G, Gutberlet M. Diagnostic performance of prospectively ECG triggered versus retrospectively ECG gated 64-slice computed tomography coronary angiography in a heterogeneous patient population. *Eur Radiol* 2011;80:342-348.
- 45** Boudriot E, **Thiele H**, Schuler G. [Left main intervention. Options and limitations in interventional cardiology]. *Herz* 2011;36:214-221.
- 46** Unverzagt S, Machemer MT, Solms A, **Thiele H**, Burkhoff D, Seyfarth M, de Waha A, Ohman EM, Buerke M, Haerting J, Werdan K, Prondzinsky R. Intra-aortic balloon pump counterpulsation (IABP) for myocardial infarction complicated by cardiogenic shock. *Cochrane DB Syst Rev*. 2011;0713:1-48.
- 47** Patel MR, **Thiele H**, Smalling RW, Chandra P, Zhou Y, Cohen M, Perera D, Ohman EM. A 19st he19ital, randomized, controlled study of mechanical left ventricular unloading with counterpulsation to reduce infarct size pre percutaneous coronary intervention for acute myocardial infarction: Rationale and design of the Counterpulsation Reduces Infarct Size Acute Myocardial Infarction trial. *Am Heart J*. 2011;162:47-55.
- 48** Patel MR, Smalling RW, **Thiele H**, Barnhart HX, Zhou Y, Chandra P, Chew D, Cohen M, French J, Perera D, Ohman EM. Intra-aortic balloon counterpulsation and infarct size in patients with acute anterior myocardial infarction without shock: The CRISP AMI Randomized Trial. *JAMA*. 2011;306:1329-1337.
- 49** Eitel I, **Thiele H**, Friedrich MG. CMR Findings in Stress (Takotsubo) Cardiomyopathy – Reply. *JAMA*. 2011;306:2093-2094.

- 50** Richter C, Heilmann T, Noack H, Post S, Mahnkopf D, Mittag A, **Thiele H**, Figulla H.R. DiPac®-coated wrapped balloon catheters attain high drug tissue uptake and reduce neointima thickness measured with OCT. *Cardiovasc Revasc Med.* 2011;12. DOI:10.1016/j.carrev.2011.04.348
- 51** Heilmann T, Richter C, Noack H, Post S, Thormann A, Heilmann A, **Thiele H**, Figulla H.R. A new approach for safe drug delivery by drug-coated balloons — WOMBAT® Iib. *Cardiovasc Revasc Med.* 2011;12. DOI:10.1016/j.carrev.2011.04.349.
- 52** Uhlemann M, Möbius-Winkler S, Mende M, Woitek F, Fuernau G, Sandri M, Adams V, **Thiele H**, Linke A, Schuler G, Gielen S. Reduced incidence of radial artery occlusions using 5 versus 6 French arterial access – Results of the Leipzig prospective vascular ultrasound registry after radial artery catheterization in 455 consecutive patients. *JACC Cardiovasc Interv.* 2012;5:36-43.
- 53** Hinkelbein, Singer D, **Thiele H**, Meixensberger J, Böttiger BW. [Actual research results in emergency medicine]. *Notfallmedizin up2date.* 2011;6:337-352.
- 54** Hüther J, Doenst T, Nitzsche S, **Thiele H**, Mohr F-W, Gutberlet M. Cardiac magnetic resonance imaging 20st he20 assessment of ventricular function, geometry, and viability before and after surgical ventricular reconstruction. *J Thorac Cardiovasc Surg* 2011;142:1515-22.e1
- 55** Rittger H, Brachmann J, Sinha AM, Waliszewski M, Ohlow M, Brugger A, **Thiele H**, Birkemeyer R, Kurowski V, Breithardt OA, Schmidt M, Zimmermann S, Lonke S, von Cranach M, Nguyen T-V, Daniel WG, Wöhrle J. PEPCAD-DES: A randomized, multicenter, single blinded trial comparing SeQuent® Please Paclitaxel Eluting balloon angioplasty with plain balloon angioplasty in drug-eluting-stent restenosis. *J Am Coll Cardiol.* 2012;59:1377-1382.
- 56** Piccolo R, Gu YL, Iversen AZ, Dominguez-Rodriguez A, de Smet BJ, Mahmoud KD, Eitel I, Abreu-Gonzalez P, Bertrand OF, **Thiele H**, Piscione F. Clinical impact of intracoronary abciximab in patients undergoing primary percutaneous coronary intervention: an individual patient-data pooled analysis of randomized studies. *Heart.* 2012; epub ahead of print 07.03.2012.
- 57** Ender J, Höch R, Subramanian S, Nakahira J, **Thiele H**, Mukherjee C. Visualization 20st he circumflex artery in the perioperative setting with transesophageal echocardiography. *Anesth Analg.* 2012;115:22-26.

- 58** Unverzagt S, Hirsch K, Buerke M, **Thiele H**, Haerting J, Werdan K, Prondzinsky R. Inotropic agents and vasodilator strategies for acute myocardial infarction complicated by cardiogenic shock or low cardiac output syndrome. *Cochrane DB Syst Rev.* 2012;2:DOI: 10.1002/14651858.CD14009669
- 59** Achenbach S, Barkhausen J, Beer M, Beerbaum P, Dill T, Eichhorn J, Fratz S, Gutberlet M, Hoffmann M, Huber A, Hunold P, Klein C, Krombach G, Kreitner KF, Kühne T, Lotz J, Maintz D, Marholdt H, Merkle N, Messroghli D, Miller S, Paetsch I, Radke P, Stehen H, **Thiele H**, Sarikouch S, Fischbach R. [Consensus recommendations of the German Radiology Society (DRG), the German Cardiac Society (DGK) and the German Society for Pediatric Cardiology (DGPK) on the Use of Cardiac Imaging with Computed Tomography and Magnetic Resonance Imaging]. *RoFo.* 2012;184:345-368.
- 60** Achenbach S, Barkhausen J, Beer M, Beerbaum P, Dill T, Eichhorn J, Fratz S, Gutberlet M, Hoffmann M, Huber A, Hunold P, Klein C, Krombach G, Kreitner KF, Kühne T, Lotz J, Maintz D, Marholdt H, Merkle N, Messroghli D, Miller S, Paetsch I, Radke P, Stehen H, **Thiele H**, Sarikouch S, Fischbach R. [Consensus recommendations 21st he German Radiology Society (DRG), the German Cardiac Society (DGK) and the German Society for Pediatric Cardiology (DGPK) on the Use of Cardiac Imaging with Computed Tomography and Magnetic Resonance Imaging]. *Kardiologie.* 2012;6:05-125.
- 61** Uhlemann M, Adams V, Lenk K, Linke A, Erbs S, Adam J, **Thiele H**, Hilberg T, Gutberlet M, Grunze M, Schuler GC, Möbius-Winkler S. Impact of different modalities of exercise training on the coronary collateral circulation and plaque composition in patients with significant coronary artery disease: Design and rationale 21st he Leipzig ExerCise Trainig versus Medical Management (EXCITE) trial. *Trials.* 2012;13:167.
- 62** Heeger CH, Jaquet K, **Thiele H**, Zulkarnaen Y, Cuneo A, Haller D, Kivelitz D, Krause K, Metzner A, Schneider C, Kuck KH, Bergmann MW. Percutaneous, trans-endocardial injection of bone marrow-derived mononuclear cells in heart failure patients following acute ST-elevation myocardial infarction: ALSTER-Stem Cell trial. *EuroIntervention.* 2012;8:732-742.
- 63** Maier SK, **Thiele H**, Zahn R, Sefrin P, Naber CK, Scholz KH, von Scheidt W. [Position paper for the structure of myocardial infarction networks]. *Kardiologie.* 2013;in press.
- 64** Eitel C, Gaspar T, Bode K, Andrea B, Sommer P, Stoepel C, Sarwas T, Grebe E, **Thiele H**, Hindricks G, Piorkowski C. Temporary left ventricular stimulation in patients with refractory cardiogenic shock and asynchronous left ventricular contraction:a safety and feasibility study. *Heart Rhythm.* 2013;10:46-52.

- 65** Hinkelbein J, Bernhard M, Braunecker S, Meixensberger J, Singer D, **Thiele H**, Böttiger BW. [Actual research results in emergency medicine]. *Notfallmedizin up2date*. 2012;4:327-344.
- 66** Cassese S, Desch S, Kastrati A, Byrne RA, King L, Tada T, Lauer B, Schömig A, **Thiele H**, Pache J. Polymer-free sirolimus-eluting versus polymer-based paclitaxel-eluting stents: An individual patient data analysis of randomized trials. *Rev Esp Cardiol*. 2013;66:435-442.
- 67** Terkelsen CJ, Pinto DS, **Thiele H**, Clemmensen P, Nikus K, Lassen JF, Aaro J, Hansen HH, Junker A, Botker HE, Gibson CM, Boersma E. The divergence between European STEMI guidelines and evidence – A potential threat for optimal therapy in patients with STEMI. *Heart*. 2013;99:1154-1157.
- 68** Stiermaier T, Heinz A, Schloma D, Kleinertz K, Dänschel W, Erbs S, Linke A, Boudriot E, Lauer B, Schuler G, **Thiele H**, Desch S. Five-year clinical follow-up of a randomized comparison of a polymer-free sirolimus-eluting stent versus a polymer-based paclitaxel-eluting stent in patients with diabetes mellitus (LIPSIA Yukon Trial). *Catheter Cardiovasc Interv*. 2014; 83:418-424.
- 69** Piccolo R, Gu YL, Iversen AZ, Dominguez-Rodriguez A, De Smet BJ, Eitel I, **Thiele H**, Piscione F. Intracoronary versus intravenous bolus abciximab administration in patients undergoing primary percutaneous coronary intervention with acute ST-elevation myocardial infarction: A pooled analysis of individual patient data from 5 randomized controlled trials. *EuroIntervention*. 2014;9:110-1120.
- 70** Noack T, Lurz P, Banusch J, Ender J, **Thiele H**, Seeburger J. [Percutaneous mitral valve intervention in secondary mitral regurgitation]. *Z Herz- Thorax Gefäßchir* 2013;6:13-16.
- 71** Meyer G, Vicaut E, Danays T, Agnelli G, Becattini C, Beyer-Westendorf J, Bluhmki E, Bouvaist H, Brenner B, Couturaud F, Dellas C, Empen K, Franca A, Galiè N, Geibel A, Goldhaber SZ, Jimenez D, Kozak M, Kupatt C, Kucher N, Lang IM, Lankeit M, Meneveau N, Pacouret G, Palazzini M, Petris A, Pruszczyk P, Rugolotto M, Salvi A, Schellong S, Sebbane M, Sobkowicz B, Stefanovic BS, **Thiele H**, Torbicki A, Verschuren F, Konstantinides SV. Fibrinolysis for patients with acute intermediate-risk pulmonary embolism. *N Engl J Med* 2014;370:1402-1411.
- 72** Zeymer U, Kastrati A, Rassaf T, Scholz KH, **Thiele H**, Nienaber CA. [Comments on the guidelines of the European Society of Cardiology (ESC) on the therapy of acute myocardial infarction in patients with ST-segment elevation (STEMI)]. *Kardiologie* 2013;7:410-422.

- 73** Gutberlet M, Foldyna B, Grothoff M, Lücke C, Riese F, Nitzsche S, Haensig M, von Apsern K, Holzhey D, **Thiele H**, Schuler G, Linke A, Mohr FW, Lehmkuhl L. Imaging prior to transcatheter aortic valve implantation. *Radiologe* 2013;53:886-895.
- 74** Hinkelbein J, Braunecker S, Singer D, **Thiele H**, Böttiger BW. [Actual research results in emergency medicine]. *Notfallmedizin up2date*. 2013;4:317-337.
- 75** Stiermaier T, Adams V, Just M, Blazek S, Desch S, Schuler G, **Thiele H**, Eitel I. Growth differentiation factor-15 in Takotsubo cardiomyopathy: Diagnostic and prognostic value. *Int J Cardiol*. 2014;173:424-429.
- 76** Zeymer U, Hochadel W, **Thiele H**, Andresen D, Schuehlen H, Brachmann J, Elsaesser A, Gitt A, Zahn R. Immediate multivessel percutaneous coronary intervention versus culprit lesion intervention in patients with acute myocardial infarction complicated by cardiogenic shock. Results from the ALKK-PCI registry. *EuroIntervention* 2015;11:280-285.
- 77** Unverzagt S, Wachsmuth L, Hirsch K, **Thiele H**, Buerke M, Haerting J, Werdan K, Prondzinsky R. Inotropic agents and vasodilator strategies for acute myocardial infarction complicated by cardiogenic shock or low cardiac output syndrome. *Cochrane Database Syst Rev*. 2014. 1:CD009669. doi: 10.1002/14651858.CD009669.pub2.
- 78** Rommel KP, Baum A, Mende M, Desch S, Gutberlet M, Schuler G, **Thiele H**, Eitel I. Prognostic significance and relationship of worst lead residual ST-segment elevation with myocardial damage assessed by cardiovascular magnetic resonance imaging in myocardial infarction. *Heart*. 2014;100:1257-1263.
- 79** van Kranenburg M, Magro M, **Thiele H**, de Waha S, Eitel I, Cochet A, Cottin Y, Atar D, Buser P, Wu E, Lee D, Bodi V, Klug G, Metzler B, Delewi R, Bernhardt P, Rottbauer W, Boersma E, Zijlstra F, van Geuns R-J. Prognostic value of microvascular obstruction and infarct size measured by cardiac magnetic resonance in patients with ST-segment elevation myocardial infarction: Meta-analysis of individual patient data. *JACC Cardiovasc Imag*. 2014;7:930-939.
- 80** Poess J, Vollert JO, Böhm M, **Thiele H**, Hamm C, Leick J, Radke P, Möckel M. [Infarct related cardiogenic shock. Process-oriented and standardised implementation of national and international guidelines. *Kardiologie*. 2014;8.
- 81** Stiermaier T, Desch S, Blazek S, Fuernau G, Schuler G, **Thiele H**, Eitel I. Frequency and significance of myocardial bridging and recurrent segment of the left anterior descending coronary artery in patients with Takotsubo cardiomyopathy. *Am J Cardiol*. 2014; 114:1204-1209.

- 82** Bode F, Blanck O, Gebhard M, Hunold P, Grossherr M, Brandt S, Vonthein R, **Thiele H**, Dunst J, Rades D. Pulmonary vein isolation by radiosurgery: Implications for non-invasive treatment of atrial fibrillation. *EuroPace* 2015;17:1868-1874.
- 83** Harjola V-P, Lassus J, Sionis A, Köber L, Tarvasmäki T, Spinar J, Parissis J, Banaszewski M, Cardoso JS, Metra M, DiSomma S, Tolppanen H, Zeymer U, **Thiele H**, Nieminen MS, Mebazaa A. Clinical picture, mortality, and risk prediction in cardiogenic shock in the contemporary era. *Eur J Heart Fail.* 2015;17:501-509.
- 84** Stiermaier T, Eitel C, Deneff S, Desch S, Schuler G, **Thiele H**, Eitel I. Prevalence and clinical significance of life-threatening arrhythmias in Takotsubo cardiomyopathy. *J Am Coll Card* 2015; 65:2148-2150.
- 85** Desch S, Okon T, Heinemann D, Kulle K, Röhnert K, Sonnabend M, Petzold M, Müller U, Eitel I, **Thiele H**, Lurz P. A randomized sham-controlled trial of renal sympathetic denervation in mild refractory hypertension. *Hypertension* 2015; 65:1202-1208.
- 86** Honselmann KC, Buthut F, Heuwer B, Karadag S, Sayk F, Kurowski V, **Thiele H**, Droemann D, Wolfrum S. Long-term mortality and quality of life in intensive care patients treated for pneumonia and/or sepsis. Predictors of mortality and QoL in patients with sepsis/pneumonia. *J Critical Care.* 2015;30:721-726.
- 87** Zeymer U, Hochadel M, Lauer B, Kaul N, Wöhrle J, Andresen D, Schwimmbeck P, Solzbach U, **Thiele H**, Gitt A, Diller F, Zahn R. Use, efficacy and safety of prasugrel in patients with ST segment elevation myocardial infarction scheduled for primary percutaneous coronary intervention in clinical practice. Results of the prospective ATACS-registry. *Int J Cardiol.* 2015;184C:122-127.
- 88** Zeymer U, Mochmann HC, Mark B, Arntz HR, **Thiele H**, Diller F, Montalescot G, Zahn R. Double-Blind, Randomized, Prospective Comparison of Loading Doses of 600 mg Clopidogrel Versus 60 mg Prasugrel in Patients With Acute ST-Segment Elevation Myocardial Infarction Scheduled for Primary Percutaneous Intervention: The ETAMI Trial (Early Thienopyridine treatment to improve primary PCI in Patients with Acute Myocardial Infarction). *JACC Cardiovasc Interv.* 2015;8:147-154.
- 89** Amer O, Binger S, Desch S, Harnoss HM, Schuler G, **Thiele H**, Eitel I. Incidence, predictors, and treatment options of critical limb ischemia after use of collagen plug-based vascular closure devices. *EuroIntervention* 2015;11:816-823.

- 90** Unverzagt S, Buerke M, de Waha A, Haerting J, Pietzner D, Seyfarth M, **Thiele H**, Werdan K, Zeymer U, Prondzinsky R. Intra-aortic balloon pump counterpulsation (IABP) for myocardial infarction complicated by cardiogenic shock. *Cochrane Database Syst Rev.* 2015;3.DOI: 10.1002/14651858.CD007398.pub3.
- 91** Rommel KP, Badarnih H, Desch S, Gutberlet M, Schuler G, **Thiele H**, Eitel I. QRS complex distortion (grad 3-ischemia) as a predictor of myocardial damage assessed by cardiac magnetic resonance imaging and clinical prognosis in patients with ST-elevation myocardial infarction. *Eur Heart J – Cardiovasc Imaging* 2015;17:194-202.
- 92** Orban M, Limbourg T, Neumann FJ, Ferenc M, Olbrich HG, Richardt G, Hennesdorf M, Empen K, Fuernau G, Desch S, Eitel I, Hambrecht R, Fuhrman JT, Böhm M, Schneider S, Schuler G, Werdan K, Zeymer U, **Thiele H**, Hausleiter J. ADP-receptor antagonists in patients with acute myocardial infarction complicated by cardiogenic shock: A post-hoc IABP-SHOCK II trial subgroup-analysis. *EuroIntervention* 2015;12(8). pii: 20141003-05. doi: 10.4244/EIJY15M12_04.
- 93** Templin C, Ghadri JR, Diekmann J, Napp LC, Bataiosu DR, Jaguszewski M, Cammann VL, Sarcon A, Geyer V, Neumann CA, Seifert B, Hellermann J, Schwyzer M, Eisenhardt K, Jenewein J, Franke J, Katus HA, Burgdorf C, Schunkert H, Moeller C, **Thiele H**, Bauersachs J, Tschöpe C, Schultheiss H-P, Laney CA, Rajan L, Michels G, Pfister R, Ukena C, Böhm M, Erbel R, Cuneo A, Kuck K-H, Jacobshagen C, Hasenfuß G, Karakas M, Koenig W, Rottbauer W, Said SM, Braun-Dullaeus RC, Cuculi F, Banning A, Fischer TA, Vasankari T, Airaksinen J, Fijalkowski M, Rynkiewicz A, Pawlak M, Opolski G, Dworakowski R, MacCarthy P, Kaiser C, Osswald S, Galiuto L, Crea F, Dichtl W, Franz WM, Empen K, Felix SB, Delmas C, Lairez O, Erne P, Bax JJ, Ford I, Ruschitzka F, Prasad A, Lüscher TF. Clinical features and outcomes of Takotsubo (Stress) cardiomyopathy. *N Engl J Med* 2015;373:929-938.
- 94** Jung C, Janssen K, Kaluza M, Fuernau G, Poerner TC, Fritzenwanger M, Pfeifer R, **Thiele H**, Figulla HR. Outcome predictors in cardiopulmonary resuscitation facilitated by extracorporeal membrane oxygenation. *Clin Res Cardiol.* 2015; 105:196-205.
- 95** Reinstadler SJ, Baum A, Rommel KP, Eitel C, Desch S, Metzler B, Poess J, **Thiele H**, Eitel I. ST-segment depression resolution predicts infarct size and reperfusion injury in ST-elevation myocardial infarction. *Heart.* 2015;101:1819-1825.

- 96** Poess J, Desch S, Eitel C, de Waha S, **Thiele H**, Eitel I. Left ventricular thrombus formation following ST-elevation myocardial infarction – Insights from a cardiac magnetic resonance multicenter study. *Circ Cardiovasc Imaging*. 2015; 8:e003417. doi: 10.1161/CIRCIMAGING.115.003417.
- 97** Stiermaier T, Eitel C, Desch S, Fuernau G, Schuler G, **Thiele H**, Eitel I. Incidence, determinants and prognostic relevance of cardiogenic shock in patients with Takotsubo cardiomyopathy. *Eur Heart J: Acute Card Care*. 2016;5:489-496.
- 98** Rittger H, Waliszewski M, Brachmann J, Hohenforst-Schmidt W, Ohlow M, Brugger A, **Thiele H**, Birkemeyer R, Kurowski V, Schlundt C, Zimmermann S, Lonke S, von Cranach M, Markovic S, Daniel WG, Achenbach S, Wöhrle J. Long-term outcomes after treatment with a paclitaxel-coated balloon versus balloon angioplasty: Insights from the PEPCAD-DES Study (Treatment of Drug-eluting Stent [DES] In-Stent Restenosis With SeQuent Please Paclitaxel-Coated Percutaneous Transluminal Coronary Angioplasty [PTCA] Catheter). *JACC: Cardiovasc Interv*. 2015;8:1695-1700.
- 99** Ghadri JR, Sarcon A, Diekmann J, Bataiosu DR, Cammann VL, Jurisic S, Napp LC, Jaguszewski M, Scherff F, Brugger P, Jäncke L, Seifert B, Bax JJ, Ruschitzka F, Lüscher TF, Templin C, Schwyzer M, Franke J, Katus HA, Burgdorf C, Schunkert H, **Thiele H**, Bauersachs J, Tschöpe C, Rajan L, Michels G, Pfister R, Ukena C, Böhm M, Erbel R, Cuneo A, Kuck K-H, Jacobshagen C, Hasenfuß G, Karakas M, Koenig W, Rottbauer W, Said SM, Braun-Dullaeus RC, Cuculi F, Banning A, Fischer TA, Vasankari T, Airaksinen J, Fijalkowski M, Rynkiewicz A, Opolski G, Dworakowski R, MacCarthy P, Kaiser C, Osswald S, Galiuto L, Crea F, Dichtl W, Franz WM, Empen K, Felix SB, Delmas C, Lairez O, Erne P, Prasad A. Happy heart syndrome: Role of positive emotional stress in Takotsubo cardiomyopathy. *Eur Heart J*. 2016;37:2823-2829.
- 100** Stiermaier T, Moeller C, Oehler K, Desch S, Graf T, Eitel C, Schuler G, **Thiele H**, Eitel I. Long-term excess mortality in Takotsubo cardiomyopathy: Predictors, causes and clinical consequences. *Eur J Heart Fail* 2016;18:650-656.
- 101** Reinstadler SJ, Fuernau G, Eitel C, de Waha S, Desch S, Metzler B, Schuler G, **Thiele H**, Eitel I. Shock index as a predictor of myocardial damage and clinical outcome in ST-elevation myocardial infarction. *Circ J*. 2016;80:924-930.
- 102** Stone GW, Selker HP, **Thiele H**, Patel MR, Udelson JE, Ohman EM, Maehara A, Eitel I, Granger CB, Jenkins P, Nichols M, Ben-Yehuda O. Relationship between infarct size and adverse events following primary PCI for STEMI: A patient-level pooled analysis from 10 randomized trials and 2,632 patients. *J Am Coll Card*. 2016;67:1674-1683.

- 103** Reinstadler SJ, Eitel C, Fuernau G, de Waha S, Desch S, Metzler B, **Thiele H**, Eitel I. Association of smoking with myocardial injury and clinical outcome in patients undergoing mechanical reperfusion for ST-elevation myocardial infarction. *Eur Heart J – Cardiovasc Imaging*. 2017;18:39-45.
- 104** Reinstadler SJ, Eitel C, Thieme M, Metzler B, Poess J, Desch S, **Thiele H**, Eitel I. Comparison of characteristics of patients ≤ 45 years versus >45 years with ST-elevation myocardial infarction (from the AIDA STEMI CMR substudy). *Am J Cardiol*. 2016; 117:1411-1416.
- 105** Ghadri JR, Diekmann J, Cammann VL, Bataiosu DR, Christian L, Napp CL, Sarcon A, Neumann CA, Geyer V, Prasad A, Bax JJ, Ruschitzka F, Lüscher TF, Templin C, Franke J, Katus H, Burgdorf C, Schunkert H, Moeller C, **Thiele H**, Bauersachs J, Jaguszewski M, Tschöpe C, Rajan L, Michels G, Pfister R, Ukena C, Böhm M, Erbel R, Cuneo A, Jacobshagen C, Hasenfuß G, Karakas M, Koenig W, Said SM, Braun-Dullaeus RC, Cuculi F, Banning A, Fischer TA, Vasankari T, Airaksinen J, Fijalkowski M, Rynkiewicz A, Pawlak M, Opolski G, Dworakowski R, MacCarthy P, Kaiser C, Osswald S, Galiuto L, Crea F, Dichtl W, Franz WM, Empen K, Felix SB, Delmas C, Lairez O, Erne P. Differences in clinical profile and outcome of typical and atypical takotsubo (stress) cardiomyopathy: Data from the International Takotsubo Registry (InterTAK Registry). *JAMA Cardiol* 2016;1:335-340.
- 106** Besler C, Urban D, Watzka S, Lang D, Rommel KP, Kandolf R, Klingel K, **Thiele H**, Schuler G, Adams V, Lurz P. Endomyocardial miR-133a levels correlate with myocardial inflammation, improved LV function and clinical outcome in patients with inflammatory cardiomyopathy. *Eur J Heart Fail* 2016;18:1442-1451.
- 107** Stiermaier T, **Thiele H**, Eitel I. Prognosis in patients with Takotsubo cardiomyopathy. *JACC Heart Failure* 2016;4:519-520.
- 108** Charytan DM, Desai M, Mathur M, Stern NM, Brooks MM, Krzych LJ, Schuler GC, Kahler J, Rodriguez-Granillo AM, Hueb W, Reeves BC, **Thiele H**, Rodriguez AE, Buszman PP, Buszman PE, Maurer R, Winkelmayr WC. Coronary artery bypass grafting compared with percutaneous coronary intervention in chronic kidney disease: An individual patient meta-analysis of randomized trials. *Kidney Int* 2016;90:411-421.
- 109** Kohl LP, Leimberger JD, Chiswell K, Jones WS, **Thiele H**, Smalling RW, Chandra P, Cohen M, Perera D, Chew DP, French JK, Blaxil J, Kumar AS, Ohman EM, Patel MR. Clinical characteristics and outcomes after unplanned intraaortic balloon counterpulsation in the Counterpulsation to Reduce Infarct Size Pre-PCI Acute Myocardial Infarction trial. *Am Heart J* 2016;174:7-13.

- 110** Stiermaier T, Eitel I, Deneff S, Desch S, Schuler G, **Thiele H**, Eitel I. Management of arrhythmias in patients with Takotsubo cardiomyopathy: Is the implantation of permanent devices necessary? *Heart Rhythm*. 2016;13:1979-1986.
- 111** Stiermaier T, **Thiele H**, Eitel I. Reply to the Editor- Implantation of permanent devices in patients with Takotsubo syndrome. *Heart Rhythm*. 2016; 13(11):e329. doi: 10.1016/j.hrthm.2016.07.027.
- 112** Shah R, Clare RM, Chiswell K, Jones WS, Kumar AS, **Thiele H**, Smalling RW, Chandra P, Cohen M, Perera D, Chew DP, French JK, Blaxil J, Ohman EM, Patel MR. Impact of non-infarct-related artery disease on infarct size and outcomes (from the CRISP-AMI Trial). *Am J Med*. 2016;129:1307-1315.
- 113** Moeller C, Graf T, Stiermaier T, **Thiele H**, Eitel I. Classical apical ballooning with significant stenosis of the left anterior descending coronary artery: is cardiac magnetic resonance imaging the solution for this diagnostic dilemma? *Clin Res Cardiol*. 2016;105:632-635.
- 114** Joost A, Stiermaier T, Eitel C, Fuernau G, de Waha S, Desch S, **Thiele H**, Eitel I. Impact of initial culprit vessel flow on infarct size, microvascular obstruction, and myocardial salvage in acute reperfused ST-elevation myocardial infarction. *Am J Cardiol*. 2016;118:1316-1322.
- 115** Stiermaier T, Moeller T, Graf T, Eitel C, Desch S, **Thiele H**, Eitel I. Prognostic usefulness of the ballooning pattern in patients with Takotsubo cardiomyopathy. *Am J Cardiol*. 2016;118:1737-1741.
- 116** Piccolo R, Galasso G, Eitel I, Dominguez-Rodriguez A, Iversen AZ, Gu YL, Abreu-Gonzalez P, de Smet B, Esposito G, Windecker S, **Thiele H**, Piscione F. Pooled analysis comparing the efficacy of intracoronary vs. intravenous abciximab in smokers versus non-smokers undergoing primary percutaneous coronary revascularization for acute ST-elevation myocardial infarction. *Am J Cardiol*. 2016;118:1798-1804.
- 117** Pöss J, Kriechbaum S, Ewen S, Graf J, Häger I, Hennesdorf M, Petros S, Link A, Böhm M, **Thiele H**, Laufs U. First-in-man analysis of the i-cor assist device in patients with cardiogenic shock. *Eur Heart J: Acute Cardiovasc Care*. 2015;4:475-481.
- 118** Reers S, Agdirlioglu T, Kellner M, Borowski M, **Thiele H**, Waltenberger J, Reppel M. Incidence of left atrial abnormalities under treatment with dabigatran, rivaroxaban, and vitamin-K antagonists. *Eur J Med Res*. 2016;21:41.

- 119** Reinstadler SJ, Stiermaier T, Eitel C, Saad M, Metzler B, de Waha S, Fuernau G, Desch S, **Thiele H**, Eitel I. Antecedent hypertension and myocardial injury in patients with reperfused ST-elevation myocardial infarction J Cardiovasc Magn Reson. 2016;18:80.
- 120** Stiermaier T, de Waha S, FURNAU G, Eitel I, **Thiele H**, Desch S. Thrombus aspiration in patients with acute myocardial infarction. Herz. 2016;41:591-598.
- 121** Ledwoch J, Stiermaier T, Fuernau G, de Waha S, Eitel C, Poess J, Desch S, Schuler G, **Thiele H**, Eitel I. Prognostic value and determinants of left atrial function assessed by cardiac magnetic resonance in ST-segment elevation myocardial infarction. JACC Cardiovasc Imag. 2017; Apr 7. pii: S1936-878X(17)30196-1. doi: 10.1016/j.jcmg.2017.02.010.
- 122** Lurz JA, Luecke C, Lang D, Besler C, Rommel KP, Klingel K, Kandolf R, Adams V, Schöne K, Hindricks G, Schuler G, **Thiele H**, Gutberlet M, Lurz P. Cardiac magnetic resonance derived extracellular volume fraction as a marker for myocardial fibrosis - The importance of coexisting pathologies. JACC Cardiovasc Imag. 2018;11:38-45.
- 123** Eitel I, Stiermaier T, Graf T, Möller C, Rommel KP, Eitel C, Schuler G, **Thiele H**, Desch S. Optical coherence tomography to evaluate plaque burden and morphology in patients with Takotsubo syndrome. J Am Heart Assoc. 2016;5(12).
- 124** Tolppanen H, Rivas-Lasarte M, Lassus J, Sans-Roselló J, Hartmann O, Lindholm M, Arrigo M, Tarvasmäki T, Köber L, **Thiele H**, Pulkki K, Spinar J, Parissis J, Banaszewski M, Silva-Cardoso J, Carubelli V, Sionis A, Harjola V-P, Mebazaa A. Adrenomedullin: a marker of impaired hemodynamics, organ dysfunction, and poor prognosis in cardiogenic shock. Ann Intensive Care. 2017;7:1-10.
- 125** Stiermaier T, Föhrenbach F, Klingel K, Kandolf R, Boudriot E, Sandri M, Linke A, Rommel KP, Desch S, Schuler G, **Thiele H**, Lurz P. Biventricular endomyocardial biopsy in patients with suspected myocarditis: Feasibility, complication rate and additional diagnostic value. Int J Cardiol. 2017;230:364-370.
- 126** Eitel I, Moeller C, Munz M, Stiermaier T, Meitinger T, **Thiele H**, Erdmann J. Genome-wide association study in Takotsubo-syndrome. Preliminary results and future directions. Int J Cardiol 2017;236:335-339.
- 127** Stiermaier T, Graf T, Möller C, Eitel C, Ledwoch J, Desch S, Gutberlet M, Schuler G, **Thiele H**, Eitel I. Transient left atrial dysfunction is a feature of Takotsubo syndrome. JCMR 2017;19:1.

- 128** Lurz JA, Luecke C, Lang D, Besler C, Rommel KP, Klingel K, Kandolf R, Adams V, Schöne K, Hindricks G, Schuler G, **Thiele H**, Gutberlet M, Lurz P. CMR-derived extracellular volume fraction as a marker for myocardial fibrosis - The importance of coexisting pathologies. *JACC Cardiovasc Imag* 2017; Apr 7. doi: 10.1016/j.jcmg.2017.01.025. [Epub ahead of print].
- 129** Ledwoch J, Stiermaier T, Fuernau G, de Waha S, Eitel C, Pöss J, Desch S, Schuler G, **Thiele H**, Eitel I. Prognostic value and determinants of left atrial function assessed by cardiac magnetic resonance in ST-segment elevation myocardial infarction. *JACC Cardiovasc Imag* 2017; doi: 10.1016/j.jcmg.2017.02.010. [Epub ahead of print].
- 130** Besler C, Lang D, Urban D, Rommel KP, von Roeder M, Fengler K, Blazek S, Kandolf R, Klingel K, **Thiele H**, Linke A, Schuler G, Adams V, Lurz P. Plasma and cardiac Galectin-3 in patients with heart failure reflects both inflammation and fibrosis: Implication for its use as a biomarker *Circ Heart Fail* 2017; 10:e003804. DOI:10.1161/CIRCHEARTFAILURE.116.003804.
- 131** Selker HP, Udelson JE, Ruthazer R, D'Agostino RB, Nichols M, Ben-Yehuda O, Eitel I, Granger CB, Jenkins P, Maehara A, Patel MR, Ohman EM, **Thiele H**, Stone GW. Relationship between therapeutic effects on infarct size in acute myocardial infarction and therapeutic effects on one-year outcomes: A patient-level analysis of randomized clinical trials. *Am Heart J*. 2017;188:18-25.
- 132** Sapontis J, Baron G, Seneviratne S, Meredith I, Fuernau G, Eitel I, Ledwoch J, **Thiele H**, Saad M, de Waha S, Poess J, Desch S. A first in human evaluation of a novel contrast media saving device. *Catheter Cardiovasc Interv*. 2017; May 4. doi: 10.1002/ccd.27033. [Epub ahead of print].
- 133** Kosmidou I, Redfors B, Selker HP, **Thiele H**, Patel MR, Udelson JE, Ohman EM, Eitel I, Granger CB, Maehara A, Kirtane A, G n reux P, Jenkins P, Ben-Yehuda O, Mintz GS, Stone GW. Infarct size, left ventricular function, and prognosis in women compared to men after primary PCI in STEMI: Results from an individual patient-level pooled analysis of 10 randomized trials. *Eur Heart J* 2017;38:1656-1663.
- 134** M ller C, Stiermaier T, Burgdorf C, Graf T, Eitel C, Desch S, **Thiele H**, Eitel I. Prevalence and long-term prognostic impact of malignancies in patients with Takotsubo syndrome. *Eur J Heart Fail* 2017;in press.
- 135** Reinstadler SJ, Stiermaier T, Eitel C, Metzler B, de Waha S, Fuernau G, Desch S, **Thiele H**, Eitel I. Relationship between diabetes and ischemic injury among patients with reperfused ST-elevation myocardial infarction. *Diabetes Obes Metab* 2017; May 5. doi: 10.1111/dom.13002. [Epub ahead of print].

- 136** Palmerini T, Serruys P, Kappetein AP, Genereux P, Della Riva D, Reggiani LB, Christiansen E, Holm NR, Thuesen L, Makikallio T, Morice MC, Ahn JM, Park SJ, **Thiele H**, Boudriot E, Sabatino M, Romanello M, Biondi-Zoccai G, Stone GW. Clinical outcomes with percutaneous coronary revascularization versus coronary artery bypass grafting surgery in patients with unprotected left main coronary artery stenosis: A meta-analysis of six randomized trials and 4,686 patients. *Am Heart J* 2017; 190:54-63.
- 137** Stiermaier T, **Thiele H**, Eitel I. Early myocardial edema after acute myocardial infarction is stable and not bimodal in humans - Evidence from a large CMR multicenter study. *Int J Cardiol* 2017; epub ahead of print.
- 138** Braun D, Frerker C, Rudolph V, Gaemperli O, Patzelt J, Schaefer U, Hammerstingl C, Boekstegers P, Ott I, Ince H, **Thiele H**, Hausleiter J. Percutaneous edge-to-edge repair of recurrent severe mitral regurgitation after surgical mitral valve repair. *J Am Coll Card* 2017; in press.
- 139** Michels G, **Thiele H**, Kluge S, Pfister R. [Are there prognostic predictors for extracorporeal cardiopulmonary resuscitation (ECPR) in out-of-hospital cardiac arrest?]. *Med Klin Intensivmed Notfmed* 2017; DOI 10.1007/s00063-017-0314-9.
- 140** Stiermaier T, Santoro F, Eitel C, Graf T, Möller C, Tarantino N, Guastafierro F, Di Biase M, **Thiele H**, Brunetti ND, Eitel I. Prevalence and prognostic relevance of atrial fibrillation in patients with Takotsubo syndrome. *Int J Cardiol*. 2017; in press.
- 141** Vdovin N, Günther S, de Waha S, Seizer P, Brunner S, Schlensak C, **Thiele H**, Hagl C, Massberg S, Bauer A. Early risk stratification in patients with cardiogenic shock complicating acute myocardial infarction treated with extracorporeal life support and primary percutaneous coronary intervention. *JACC Cardiovasc Interv* 2017;10:2466-2471.
- 142** Kolte D, Sardar P, Khera S, Zeymer U, **Thiele H**, Hochadel M, Radovanovic D, Erne P, Hambraeus K, James S, Claessen BE, Henriques JP, Mylotte D, Garot P, Aronow WS, Owan T, Jain D, Panza JA, Frishman WH, Fonarow GC, Bhatt DL, Aronow HD, Abbott JD. Culprit vessel only versus multivessel percutaneous coronary intervention in patients with cardiogenic shock complicating ST-elevation myocardial infarction: A collaborative meta-analysis *Circulation: Cardiovasc Interv*. 2017;10:10:e005582. DOI: 005510.001161/CIRCINTERVENTIONS.005117.005582.
- 143** Stiermaier T, Jobs A, de Waha S, Fuernau G, Poess J, Desch S, **Thiele H**, Eitel I. Optimized prognosis assessment in ST-segment elevation myocardial infarction using a cardiac magnetic resonance imaging risk score. *Circ Cardiovasc Imaging*. 2017; in press.

- 144** Santoro F, Stiermaier T, Tarantino N, De Gennaro L, Moeller C, Guastafierro F, Marchetti MF, Montisci R, Carapelle E, Graf T, Caldarola P, **Thiele H**, Di Biase M, Brunetti ND, Eitel I. Left ventricular thrombi in Takotsubo syndrome: Incidence, predictors and management. Results from the GERman Italian STress Cardiomyopathy (GEIST) registry" J Am Heart Assoc 2017;in press.
- 145** Möller C, Stiermaier T, Brabant G, Graf T, **Thiele H**, Eitel I. Comprehensive assessment of sex hormones in Takotsubo syndrome. Int J Cardiol 2017;in press.
- 146** Eitel I, Stiermaier T, Lange T, Rommel KP, Koschalka A, Kowallick JT, Lotz J, Kutty S, Hasenfuß G, **Thiele H**, Schuster A. Cardiac magnetic resonance myocardial feature tracking for optimized prediction of cardiovascular events following myocardial infarction. Circ Cardiovasc Imaging. 2017;in press.
- 147** Desch S, Fuernau G, Poess J, Meyer-Saraei R, Saad M, Eitel I, **Thiele H**, de Waha S. Impact of a novel contrast modulating system on contrast savings in coronary angiography – The DyeVert randomized controlled trial. Int J Cardiol. 2017;in press.
- 148** Rommel KP, von Roeder M, Oberueck C, Latuscynski K, Besler C, Blazek S, Stiermaier T, Fengler K, Adams V, Sandri M, Linke A, Schuler G, **Thiele H**, Lurz P. Load independent systolic and diastolic right ventricular function in heart failure with preserved ejection fraction as assessed by resting and handgrip exercise pressure-volume loops Circulation: Heart Fail. 2018; 11:e004121. DOI: 10.1161/CIRCHEARTFAILURE.117.004121.
- 149** Stiermaier S, Santoro F, El-Battrawy I, Möller C, Novo G, Santangelo A, Mariano E, Romeo F, **Thiele H**, Brunetti ND, Akin I, Eitel I. Cardiovascular and metabolic risk - Prevalence and prognostic impact of diabetes mellitus in Takotsubo syndrome: Insights from the international, multicenter GEIST registry. J Diab Care. 2018;in press.
- 150** Schumann J, Henrich EC, Strobl H, Prondzinsky R, Weiche S, **Thiele H**, Werdan K, Frantz S, Unverzagt S. Inotropic agents and vasodilator strategies for the treatment of cardiogenic shock or low cardiac output syndrome (Review). Cochrane DB Syst Rev.2018;1:DOI:0.1002/14651858.CD14009669.pub14651853.
- 151** Mangner N, Stachel G, Woitek FJ, Haussig S, Schlotter F, Höllriegel R, Adam J, Lindner A, Mohr FW, Schuler G, Kiefer P, Leontyev S, Borger MA, Thiele H, Holzhey D, Linke A. Predictors of mortality and symptomatic outcome of patients with low-flow severe aortic stenosis undergoing transcatheter aortic valve replacement. J Am Heart Assoc. 2018;in press.

- 152** Stiermaier T, Möller C, Santoro F, Graf T, Thiele H, Brunetti ND, Eitel I. Prognostic value of N-terminal Pro-B-Type Natriuretic Peptide in Takotsubo syndrome. Clin Res Cardiol. 2018;in press.

3. Reviews, Leitlinien und Positionspapiere

- 1 **Thiele H**, Pohlink C, Schuler G. Hypertension and exercise – exercise regimes 34st he34 hypertensive patient. Herz. 2004;29:401-405.
- 2 Kaulfersch C, Daehnert I, Schuler G, **Thiele H**. Transcatheter closure of postinfarction ventricular septal defects. Minerva Cardioangiol. 2007;55:693-701.
- 3 **Thiele H**, Smalling RW, Schuler G. Percutaneous left ventricular assist devices in acute myocardial infarction complicated by cardiogenic shock. Eur Heart J. 2007;28:2057-2063.
- 4 **Thiele H**, Thiele C, Serpytis P, Schuler G. Timing of percutaneous coronary intervention in non-ST-elevation myocardial infarction: an immediate, early or selective invasive approach? Semin Cardiol. 2008;13:1-8.
- 5 **Thiele H**. [Assessment of prognosis in patients with coronary artery disease with myocardial ischemia and after myocardial infarction: the role of cardiac magnetic resonance imaging]. Kardiologie up2date. 2008;127:32-37.
- 6 **Thiele H**, Schuler G. Prehospital management of ST-elevation myocardial infarction]. J Kardiol. 2009;16:255-262
- 7 **Thiele H**. [Facilitated PCI in STEMI treatment]. Kardiologie up2date. 2009;2:154-159.
- 8 Schönauer M, Thomas A, Morbach S, Niebauer J, Schönauer U, **Thiele H**. Cardiac autonomic diabetic neuropathy. Diab Vasc Dis Res 2008;5:336-44.
- 9 **Thiele H**. [Optimal 34st he3434tal. management of ST-elevation myocardial infarction]. Clin Res Cardiol. 2009;4:142–149
- 10 Pittl U, Schuler G, **Thiele H**. [Ultima ratio-lysis during unsuccessful cardiopulmonary resuscitation]. Notfallmedizin up2date. 2009;4:193-209.
- 11 Möbius-Winkler S, Walther C, Erbs S, Walther T, Schuler G, **Thiele H**. [Revascularization versus conservative therapy in stable coronary artery disease]. Klinikarzt. 2009;38:534-539
- 12 **Thiele H**, Falk V, Desch S, Walther T, Mohr FW, Schuler G. Stent or MIDAB? Treatment of isolated proximal LAD-stenoses. Klinikarzt 2009;38:540-544.
- 13 **Thiele H**, Falk V. Value of coronary artery bypass graft vs. drug-eluting stent for high risk proximal left anterior descending stenosis. Curr Treat Options Cardiovasc Med. 2010;12:36–45.

- 14** **Thiele H**, Desch S, Falk V. Comparing MIDCAB surgery and stenting for isolated proximal LAD-stenosis. *Interv Cardiol.* 2010;2:199-208.
- 15** Seyfarth M, Burkhoff D, **Thiele H**. Survival curves of patients with cardiogenic shock treated with percutaneous LVAD or IABP; *Eur Heart J* 2010, e-letter.
- 16** Gutberlet M, **Thiele H**. Non-invasive imaging in the diagnosis of acute viral myocarditis. Comment. *Clin Res Cardiol* 2010; 99:261-263.
- 17** **Thiele H**, Allam B, Chatellier G, Schuler G, Lafont A, Cardiogenic shock in acute myocardial infarction: The Cape Horn for trials. *Eur Heart J.* 2010;31:1828-1835.
- 18** Schönauer M, Thomas A, Schönauer U, **Thiele H**. [Diabetes mellitus and hypertension. Do new antidiabetics provide a beneficial effect on cardiovascular risk factors? *Med Welt* 2010;61:109-115.
- 19** Sommer P, Fürnau G, **Thiele H**. [ECG-Diagnostics]. *Notfallmedizin up2date.* 2010;5:223-240.
- 20** **Thiele H**. [From rare to often indications in emergency medicine – What’s about quality?] *Notfallmedizin up2date.* 2010;5:185-186.
- 21** Fuernau G, **Thiele H**. [Cardiogenic shock in acute myocardial infarction – current evidence and future options]. *Med Welt* 2010;61:284-292
- 22** Arntz HR, **Thiele H**. [Emergency treatment of acute coronary syndrome from the perspective of actual guidelines] *Notfallmedizin up2date.* 2011;6:65-80.
- 23** De Waha S, Fuernau G, Eitel I, Lurz P, Desch S, Schuler G, **Thiele H**. Measuring treatment effects in clinical trials using cardiac magnetic resonance imaging. *Curr Cardiovasc Imaging Rep* 2011; 4:98–107.
- 24** **Thiele H**, Fleck E, Gutberlet M, Nagel E. [Magnet resonance imaging. Time for a critical analysis of educational situation?] *Kardiologe.* 2011;5:75-79.
- 25** Fuernau G, Schuler G, **Thiele H**. [Cardiogenic shock complicating acute myocardial infarction: Diagnosis and treatment]. *Int Praxis* 2011;52:233-243.
- 26** **Thiele H**. [Update acute coronary syndrome. Changes in therapy 2011]. *Herz* 2011; 36:267-272.
- 27** Fuernau G, **Thiele H**. [Invasive circulatory assist devices during intra- and interhospital transport]. *Notfall Rettungsmed* 2011;14:630-634.

- 28** **Thiele H**, Gutberlet M. [Non-invasive cardiovascular imaging – coronary artery disease, electrophysiology, GUCH, cardiomyopathies, an update]. *Herz*. 2011;4:360-361.
- 29** Desch S, Eitel I, De Waha S, Fuernau G, Lurz P, Gutberlet M, Schuler G, **Thiele H**. Cardiac magnetic resonance imaging parameters as surrogate endpoints in clinical trials of acute myocardial infarction. *Trials*. 2011;12:e204-215.
- 30** Fuernau G, **Thiele H**. [Diagnosis and therapy of cardiogenic shock complicating acute myocardial infarction]. *Notfallmedizin up2date*. 2011;6:257-269.
- 31** **Thiele H**, Fuernau G, Fischer J, Schuler G. Tools & Techniques: Percutaneous left ventricular assist devices. *EuroIntervention*. 2011;7:636-637.
- 32** Waha S, Desch S, Eitel I, Fuernau G, Lurz P, de Waha A, Schuler G, **Thiele H**. What is the evidence for IABP in STEMI with and without cardiogenic shock? *Ther Adv Cardiovasc Dis*. 2012;6:123-132.
- 33** Eitel I, **Thiele H**. CMR mapping techniques for myocardium at risk. Next step into a bright future? *JACC Cardiovasc Img* 2012;5:604-606.
- 34** **Thiele H**, Dörr R, Gutberlet M. Clinical value of different imaging methods in coronary artery disease evaluation. *Herz*. 2012;8:887-901.
- 35** **Thiele H**. [Left heart catheterisation using the radial artery: Is femoral access still justified?]. *Kardiologie* 2012;6:423-426.
- 36** Waßmuth R, Schulz-Menger J, Fleck E, Hombach V, Katus H, Strasser RH, **Thiele H**. [Actual training situation in cardiac magnetic resonance imaging]. *Kardiologie*. 2012;6:439-442.
- 37** Gutberlet M, Lücke C, Krieghoff C, Hildebrand L, Lurz P, Steiner J, Adam J, Eitel I, **Thiele H**, Grothoff M, Lehmkuhl L. [MRI for myocarditis]. *Radiologe*. 2013;53:30-37.
- 38** Stiermaier T, Schuler G, Boudriot E, Desch S, **Thiele H**. Is percutaneous coronary intervention as effective as bypass surgery in left main stem coronary artery stenosis? *Herz* 2013;38:147-152.
- 39** de Waha S, Eitel I, Desch S, Fuernau G, Lurz P, Schuler G, **Thiele H**. Diagnosis and therapy of chronic myocardial ischemia. Role of cardiac magnetic resonance imaging. *Herz*. 2013;38:350-358.
- 40** Stiermaier T, Desch S, Schuler G, **Thiele H**, Eitel I. Reperfusion strategies in ST-segment elevation myocardial infarction. *Minerva Med*. 2013;104:391-411.

- 41 Thiele H.** Treatment of cardiogenic shock. What is proven? Dtsch Med Wochenschr 2013;138:1960-1965.
- 42 Birkmeier S, Thiele H, Dörr R.** Management of acute myocardial infarction with ST-segment elevation – Update 2013. Herz 2013; epub ahead of print.
- 43 Fuernau G, Thiele H.** Intra-aortic balloon pump (IABP) in cardiogenic shock. Curr Opin Crit Care 2013;19:404-409.
- 44 Fuernau G, Thiele H.** Haemodynamic support in cardiogenic shock. Kardiologia Polska 2013;71:887-892.
- 45 Eitel I, Thiele H.** Takotsubo-cardiomyopathy – underdiagnosed? Kardiologie up2date 2013;9:172-176.
- 46 Thiele H.** [Emergency treatment in acute coronary syndromes under the perspective of the actual STEMI guidelines. Notfallmedizin Up2Date 2013;4:269-283
- 47 de Waha S, Desch S, Eitel I, Fuernau G, Lurz P, Sandri M, Schuler G, Thiele H.** Intraaortic balloon counterpulsation – Basic principles and clinical evidence. Vasc Pharmacol 2014; 60:52-56.
- 48 Thiele H.** [Life-saving strategies in cardiogenic shock. What is proven? J Kardiol 2013;71:887-892.
- 49 Poess J, Desch S, Thiele H.** Shock management in acute myocardial infarction. EuroIntervention 2014;10:174-182.
- 50 de Waha S, Thiele H, Richardt G.** [Platelet inhibition and anticoagulation in acute coronary syndrome. Current evidence]. Herz. 2014;39:692-701.
- 51 Windecker S, Kolh P, Alfonso F, Collet JP, Cremer J, Falk V, Filippatos G, Hamm C, Head SJ, Juni P, Kappetein AP, Kastrati A, Knuuti J, Landmesser U, Laufer G, Neumann FJ, Richter DJ, Schauerte P, Sousa Uva M, Stefanini GG, Taggart DP, Torracca L, Valgimigli M, Wijns W, Witkowski A, Authors/Task Force m. 2014 ESC/EACTS Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS) Developed with the special contribution of the European Association of Percutaneous Cardiovascular Interventions (EAPCI). Eur Heart J 2014;35:2541-2619.**
- 52 Kuck KH, Eggebrecht H, Figulla HR, Haude M, Katus H, Möllmann H, Naber CK, Schunkert H, Thiele H, Hamm C.** [Position statement of the German Cardiac Society – Quality criteria for transvascular aortic valve implantation. Kardiologie 2014;8.]
- 53 Thiele H, Ohman EM, Desch S, Eitel I, de Waha S.** Management of cardiogenic shock. Eur Heart J 2015;36:1223-1230.

- 54** Graf T, **Thiele H**. [Mechanical support in cardiogenic shock.] *Herz* 2015;40:224-230.
- 55** Pilarczyk K, Bauer A, Boening A, von der Brelie M, Eichler I, Gohrbandt B, Groesdonk HV, Haake N, Heringlake M, Langebartels G, Markewitz A, **Thiele H**, Trummer G, Marggraf G. S3-Leitlinie "Einsatz der intraaortalen Ballongegenpulsation in der Herzchirurgie". *Thorac Cardiovasc Surg*. 2015;63 Suppl 2:S131-96.
- 56** Mebazaa A, Yilmaz MB, Levy P, Ponikowski P, Peacock WF, Laribi S, Ristic AD, Lambrinou E, Masip J, Riley J, McDonagh T, Mueller C, DeFilippi C, Harjola V-P, **Thiele H**, Piepoli MF, Metra M, Maggioni A, McMurray J, Dickstein K, Damman K, Seferovic PM, Leite-Moreira AF, Ruschitzka F, Bellou A, Anker S, Filippatos G. Recommendations on pre-hospital & hospital management of acute heart failure: a consensus paper from the Heart Failure Association of the European Society of Cardiology, the European Society of Emergency Medicine and the Society of Academic Emergency Medicine. *Eur Heart J* 2015;17:544-558.
- 57** Mebazaa A, Mueller C, DiSomma S, Yilmaz B, Noura S, Sato N, Lassus J, Sliwa K, Cohen Solal A, Masip J, Choi W, Spinar J, Richards M, Christ M, Baksyte G, Peacock F, Januzzi J, Ojji D, Tolppanen H, **Thiele H**, Cecconi M. Novelty in acute heart failure. Acute heart failure syndromes combine congestion and/or hypoperfusion. *Intensive Care Med* 2016;42:147-163.
- 58** Savonitto S, De Luca G, Goldstein P, van't Hof A, Zeymer U, Morici N, **Thiele H**, Montalescot G, Bolognese L. Antithrombotic therapy before, during and after emergency angioplasty for ST elevation myocardial infarction *Eur Heart J: Acute Card Care* 2017;6:173-190.
- 59** Graf T, Desch S, Eitel I, **Thiele H**. Acute myocardial infarction and cardiogenic shock: pharmacologic and mechanical hemodynamic support pathways. *Coron Artery Dis* 2015; 26:535-544.
- 60** Erbel R, **Thiele H**. Diagnostics in structural heart disease. *Herz* 2015;40:567-568.
- 61** **Thiele H**, de Waha S. How should we treat VSDs and acute MR post MI? [June 11, 2015]. [http://www.acc.org/latest-in-cardiology/articles/2015/06/11/10/57/how-should-we-treat-vsds-and-acute-mr-post-mi?w_nav=LC].
- 62** Reinstadler SJ, **Thiele H**, Eitel I. Risk stratification by cardiac magnetic resonance imaging after ST-elevation myocardial infarction. *Curr Opin Cardiol* 2015;30:681-689.

- 63** Hombach V, Kelle S, Gebker R, Nagel E, **Thiele H**, Schulz-Menger J, Bruder O, Fleck E, Katus HA, Kelm M. Durchführung und Befundung der kardialen Magnetresonanztomographie (Kardio-MRT). Positionspapier der Deutschen Gesellschaft für Kardiologie – Herz- und Kreislaufforschung. *Kardiologie*. 2015;9:337-347.
- 64** Jobs A, **Thiele H**. [ESC Guidelines 2015. Acute coronary syndromes without ST-elevation]. *Herz* 2015;40:1027-1033.
- 65** Graf T, **Thiele H**. [Mechanical support in cardiogenic shock]. *Kardiologie*. 2015;9:434-441.
- 66** Reinstadler SJ, Stiermaier T, Fuernau G, de Waha S, Desch S, Metzler B, **Thiele H**, Eitel I. The challenges and impact of microvascular injury in ST-elevation myocardial infarction. *Exp Rev Cardiovasc Therapy*. 2016;14:431-443.
- 67** Windolph J, Eitel I, **Thiele H**. Chest Pain Units. *Notfallmedizin Up2Date* 2015;10:321-336.
- 68** Stiermaier T, de Waha S, Fuernau G, Eitel I, **Thiele H**, Desch S. [Thrombus aspiration in patients with acute myocardial infarction: Scientific evidence and clinical practice guidelines]. *Herz*. 2016;41:591-598.
- 69** Kuck K-H, **Thiele H**. Therapy of mitral regurgitation is set in motion. *Herz*. 2016:1-2.
- 70** Blumenstein J, de Waha S, **Thiele H**. Percutaneous ventricular assist devices and extracorporeal life support: current applications. *EuroIntervention* 2016;12 Suppl X:X61-X67.
- 71** Pöss J, **Thiele H**, Desch S. [Modern interventional procedures for mitral valve in sufficiency]. *MMW Fortschr Med* 2016;158:54-58.
- 72** Kurz T, **Thiele H**. [Interventional therapy for aortic valve stenosis]. *MMW Fortschr Med* 2016;158:49-54.
- 73** Janssens U, Jung C, Hennersdorf M, Ferrari M, Fuhrmann J, Buerke M, Ebelt H, Graf T, **Thiele H**, Kelm M, Simonis G. [Recommendations for hemodynamic monitoring in internal intensive care medicine]. *Kardiologie*. 2016;10:149-169.
- 74** **Thiele H**, Dörr R. Anatomy versus function in assessment of myocardial ischemia – the crucial question. *Herz*. 2016;41:361.
- 75** Kuck K-H, Eggebrecht H, Elsässer A, Hamm C, Haude M, Ince H, Katus H, Möllmann H, Naber CK, Schunkert H, **Thiele H**, Werner N. Quality criteria for the implementation of transcatheter aortic valve implantation. *Kardiologie*. 2016;10:282-300.
- 76** Stiermaier T, **Thiele H**, Eitel I. T2-weighted cardiovascular magnetic resonance imaging to delineate ischemic myocardium at risk: Fact or fiction? *Rev Esp Cardiol*. 2017;70:316-317.

- 77** Stiermaier T, **Thiele H**, Eitel I. Clinical utility of novel biomarkers in acute myocardial infarction. *Ann Transl Med.* 2016;4:491.
- 78** Zeymer U, **Thiele H**. Mechanical support for cardiogenic shock – lost in translation? *J Am Coll Card.* 2017;69:288-290.
- 79** de Waha S, Desch S, Fuernau G, Pöss J, Jobs A, Eitel I, **Thiele H**. Interventional therapies in acute myocardial infarction complicated by cardiogenic shock. *Herz.* 2017;42:11-17.
- 80** Hinkelbein J, Braunecker S, Neuhaus C, Drinhaus H, Bernhard M, Struck M, Bieler D, Trentzsch H, **Thiele H**, Singer D, Böttiger BW. Notfallmedizinische Forschungsergebnisse 2015/2016 für die Praxis. *Notfallmedizin up2date.* 2016;4:387-404.
- 81** Sommer T, Bauer W, Fischbach K, Kolb C, Luechinger R, Wiegand U, Lotz J, Eitel I, Gutberlet M, **Thiele H**, Schild HH, Kelm M, Quick HH, Schulz-Menger J, Barkhausen J, Bänsch D. MR imaging in patients with cardiac pacemakers and implantable cardioverter defibrillators. *Fortschr Röntgenstr.* 2017;189:204-217.
- 82** Sommer T, Bauer W, Fischbach K, Kolb C, Luechinger R, Wiegand U, Lotz J, Eitel I, Gutberlet M, **Thiele H**, Schild HH, Kelm M, Quick H, Schulz-Menger J, Barkhausen J, Bänsch D. MR-Untersuchungen bei Patienten mit Herzschrittmachern und implantierbaren Kardioverter-Defibrillatoren. *Kardiologe.* 2017:1-16.
- 83** van Diepen S, Katz JN, Albert NM, Henry TD, Jacobs AK, Kapur NK, Kilic A, Menon V, Ohman EM, Sweitzer NK, **Thiele H**, Washam JB, Cohen MG. Contemporary management of cardiogenic shock – A scientific statement. *Circulation* 2017;136: e232-e268.
- 84** Graf T, **Thiele H**. [Cardiac support and replacement systems]. *Med Klinik Intensivmed Notfmed*;2017:112:417-425.
- 85** Scholz KH, Andresen D, Böttiger BW, Busch HJ, Fischer M, Frey N, Kelm M, Kill C, Schieffer B, Storm C, **Thiele H**, Gräsner JT. Qualitätsindikatoren und strukturelle Voraussetzungen für Cardiac-Arrest-Zentren – Deutscher Rat für Wiederbelebung/German Resuscitation Council (GRC). *Kardiologe* 2017;11:205-208.
- 86** Scholz KH, Andresen D, Böttiger BW, Busch HJ, Fischer M, Frey N, Kelm M, Kill C, Schieffer B, Storm C, **Thiele H**, Gräsner JT. Qualitätsindikatoren und strukturelle Voraussetzungen für Cardiac-Arrest-Zentren – Deutscher Rat für Wiederbelebung/German Resuscitation Council (GRC). *Notfall Rettungsmed* 2017;20:234.
- 87** Scholz KH, Andresen D, Böttiger BW, Busch HJ, Fischer M, Frey N, Kelm M, Kill C, Schieffer B, Storm C, **Thiele H**, Gräsner JT. Quality indicators and structural requirements for Cardiac Arrest Centers-German Resuscitation Council (GRC)]. *Anaesthesist.* 2017;66:360-362.

- 88** Ledwoch J, **Thiele H**. Treatment of asymptomatic aortic valve stenosis. Watchful waiting or early intervention? *Herz* 2017;42:528-535.
- 89** Stiermaier T, **Thiele H**, Eitel I. Coronary microvascular obstruction: Key factor in the prognosis of ST-segment-elevation myocardial infarction. *Circ Cardiovasc Imaging*. 2017 Jun;10(6):e006568. doi: 10.1161/CIRCIMAGING.117.006568.
- 90** Desch S, Stiermaier T, **Thiele H**, de Waha S. Requiem for routine thrombus aspiration. *Cardiovasc Diagn Ther* 2017;7:(Suppl 2):S107-S109.
- 91** Stiermaier T, Eitel C, **Thiele H**, Eitel I. Ventricular arrhythmias in patients with Takotsubo syndrome *J Arrhythm* 2017; epub ahead of print.
- 92** Hinkelbein J, Braunecker S, Neuhaus C, Drinhaus H, Bernhard M, Struck M, Bieler D, Trentzsch H, **Thiele H**, Singer D, Böttiger BW. [Emergency medicine research results 2015/2016 in clinical practice]. *Notfallmedizin Up2Date* 2017;13:163-179.
- 93** **Thiele H**. [Aortic valve]. *Herz* 2017;42:527.
- 94** **Thiele H**. Cardiogenic shock - Current evidence. *Herz* 2017; 42: 795-806.
- 95** **Thiele H**. [European Society of Cardiology Guidelines 2017 - STEMI]. *Notfall Rettungsmed*. 2018;21:22-33.
- 96** **Thiele H**. [Anticoagulation and antithrombotic therapy]. *Herz*. 2018;43:1.
- 97** **Thiele H**. [Acute myocardial infarction in patients with ST-segment elevation. ESC Guidelines 2017]. *Herz*. 2017;42:728-738.