

Daniel Pink

<https://publons.com/researcher/ABF-2153-2020/>

Web of Science ResearcherID: ABF-2153-2020

Current affiliations:

- Helios Klinikum Bad Saarow from 2014 until present
- Universitätsmedizin Greifswald from 2016 until present


Publications

PUBLICATION METRICS

For all time

CITATIONS	H-INDEX	PUBLICATIONS	WEB OF SCIENCE PUBLICATIONS
2105	18	87	87

PUBLICATION IMPACT OVER TIME



PUBLISHING SUMMARY

(15) Journal of Clinical Oncology	WOS	(15) Annals of Oncology	WOS
(9) Oncology Research and Treatment	WOS	(4) European Journal of Cancer, Supplement	
(4) Onkologie		(3) Clinical Cancer Research	WOS
(3) European Journal of Cancer	WOS	(3) Annals of Surgical Oncology	WOS
(2) Journal of Cancer Research and Clinica...	WOS	(2) British Journal of Cancer	WOS
(2) BMC Cancer	WOS	(2) International Journal of Cancer	WOS

(2) Karger Kompass Onkologi		(1) JAMA	WOS
(1) Gynecologic Oncology	WOS	(1) Cancer	WOS
(1) JAMA Oncology	WOS	(1) The Lancet	WOS
(1) European Journal of Nuclear Medicine ...	WOS	(1) International Journal of Hyperthermia	WOS
(1) Oncology	WOS	(1) Zentralblatt für Chirurgie	WOS
(1) European Journal of Cancer Care	WOS	(1) Transplant Infectious Disease	WOS
(1) RöFo - Fortschritte Auf Dem Gebiet der ...	WOS	(1) Journal of Vascular and Interventional ...	WOS
(1) Marine Drugs	WOS	(1) Acta Radiologica	WOS
(1) Acta Orthopaedica	WOS	(1) Current Bioinformatics	WOS
(1) Der Pathologe	WOS	(1) British Journal of Surgery	WOS
(1) Journal of Magnetic Resonance Imaging	WOS	(1) Zeitschrift für Gastroenterologie	WOS

MANUSCRIPTS PUBLISHED (87)

**TIMES CITED
(ALL TIME)**

Phase III randomized, double-blind study of paclitaxel with and without everolimus in patients with advanced gastric or esophagogastric junction carcinoma who have progressed after therapy with a fluoropyrimidine/platinum-containing regimen (RADPAC)

Authors (20): Lorenzen, Sylvie; Knorrenschild, Jorge Riera ... Al-Batran, Salah-Eddin

Published: Nov 2020 in International Journal of Cancer

DOI: 10.1002/IJC.33025

Quality of life and outcome of patients with metastatic pancreatic cancer receiving first-line chemotherapy with nab-paclitaxel and gemcitabine: Real-life results from the prospective QOLIXANE trial of the Platform for Outcome, Quality of Life and Translational Research on Pancreatic Cancer registry

Authors (56): Al-Batran, Salah-Eddin; Hofheinz, Ralf-Dieter ... Goetze, Thorsten Oliver

Published: Oct 2020 in International Journal of Cancer

DOI: 10.1002/IJC.33336

Real life results from the prospective QOLIXANE trial of the platform for outcome, quality of life, and translational research on pancreatic cancer (PARAGON) registry

Authors (20): Goetze, T. O.; Hofheinz, R-D ... Al-Batran, S-E

Published: Oct 2020 in Oncology Research and Treatment

Modified FOLFOX versus modified FOLFOX plus nivolumab and ipilimumab in patients with previously untreated advanced or metastatic adenocarcinoma of the stomach or gastroesophageal junction - Safety Results from AIO-STO-0417: A randomized phase II trial of the German Gastric Group of the AIO

Authors (20): Pauligk, C.; Goetze, T. O. ... Al-Batran, S-E.

Published: Sep 2020 in Annals of Oncology

DOI: 10.1016/J.ANNONC.2020.08.1949

FOLFIRI plus ramucirumab versus paclitaxel plus ramucirumab as second-line therapy for patients with advanced or metastatic gastroesophageal adenocarcinoma with or without prior docetaxel - Final results from the phase II RAMIRIS Study of the AIO

Authors (14): Thuss-Patience, P. C.; Al-Batran, S-E. ... Lorenzen, S.

Published: Sep 2020 in Annals of Oncology

DOI: 10.1016/J.ANNONC.2020.08.2001

The QOLIXANE trial - Real life QoL and efficacy data in 1st line pancreatic cancer from the prospective platform for outcome, quality of life, and translational research on pancreatic cancer (PARAGON) registry

Authors (20): Goetze, T. O.; Hofheinz, R. D. ... Al-Batran, S-E.

Published: Sep 2020 in Annals of Oncology

DOI: 10.1016/J.ANNONC.2020.08.2008

Real-life data from the platform for outcome, quality of life and translational research on pancreatic cancer - PARAGON

Authors (14): Al-Batran, S-E.; Blau, W. ... Goetze, T. O.

Published: Sep 2020 in Annals of Oncology

DOI: 10.1016/J.ANNONC.2020.08.2016

A non-randomized, open-label phase II trial evaluating efficacy and feasibility of combined treatment with trabectedin and nivolumab in patients with metastatic or inoperable soft tissue sarcomas (STS) after failure of an anthracycline-containing regimen

Authors (10): Mueller, D. W.; Reichardt, P. ... Pink, D.

Published: Sep 2020 in Annals of Oncology

DOI: 10.1016/J.ANNONC.2020.08.1894

Final results and subgroup analysis of the PETRARCA randomized phase II AIO trial: Perioperative trastuzumab and pertuzumab in combination with FLOT versus FLOT alone for HER2 positive resectable esophagogastric adenocarcinoma

Authors (20): Al-Batran, S-E.; Haag, G. M. ... Hofheinz, R. D.

Published: Sep 2020 in Annals of Oncology

DOI: 10.1016/J.ANNONC.2020.08.1927

Perioperative FLOT plus ramucirumab versus FLOT alone for resectable esophagogastric adenocarcinoma- Updated results and subgroup analyses of the randomized phase II/III trial RAMSES/FLOT7 of the German AIO and Italian GOIM

Authors (20): Al-Batran, S-E.; Hofheinz, R. D. ... Homann, N.

Published: Sep 2020 in Annals of Oncology

DOI: 10.1016/J.ANNONC.2020.08.1930

Ipilimumab or FOLFOX with Nivolumab and Trastuzumab in previously untreated HER2-positive locally advanced or metastatic EsophagoGastric Adenocarcinoma-the randomized phase 2 INTEGA trial (AIO STO 0217)

Authors (17): Tintelnot, Joseph; Goekkurt, Eray ... Stein, Alexander

Published: Jun 2020 in BMC Cancer

DOI: 10.1186/S12885-020-06958-3

Lower-dosing ponatinib in pre-treated GIST: Results of the POETIG phase II trial

Authors (13): Falkenhorst, Johanna; Hamacher, Rainer ... Bauer, Sebastian

Published: May 2020 in Journal of Clinical Oncology

Which patients with pre-treated locally advanced or metastatic sarcoma benefit most from trabectedin treatment: First results of a retrospective study of the German Interdisciplinary Sarcoma Group (GISG-14-ReTraSarc)

Authors (16): Pink, Daniel; Richter, Adrian ... Reichardt, Peter

Published: May 2020 in Journal of Clinical Oncology

Perioperative ramucirumab in combination with FLOT versus FLOT alone for resectable esophagogastric adenocarcinoma (RAMSES/FLOT7): Results of the phase II-portion-A multicenter, randomized phase II/III trial of the German AIO and Italian GOIM

Authors (20): Al-Batran, Salah-Eddin; Hofheinz, Ralf Dieter ... Homann, Nils

Published: May 2020 in Journal of Clinical Oncology

Perioperative trastuzumab and pertuzumab in combination with FLOT versus FLOT alone for HER2-positive resectable esophagogastric adenocarcinoma: Final results of the PETRARCA multicenter randomized phase II trial of the AIO

Authors (20): Hofheinz, Ralf Dieter; Haag, Georg Martin ... Al-Batran, Salah-Eddin

Published: May 2020 in Journal of Clinical Oncology

FOLFIRI plus ramucirumab versus paclitaxel plus ramucirumab as second-line therapy for patients with advanced or metastatic gastroesophageal adenocarcinoma with or without prior docetaxel: Results from the phase II RAMIRIS Study of the AIO

Authors (14): Lorenzen, Sylvie; Thuss-Patience, Peter C. ... Al-Batran, Salah-Eddin

Published: May 2020 in Journal of Clinical Oncology

Interim safety analysis of the DANTE trial: Perioperative atezolizumab in combination with FLOT versus FLOT alone in patients with resectable esophagogastric adenocarcinoma-A randomized, open-label phase II trial of the German Gastric Group at the AIO and SAKK

Authors (20): Homann, Nils; Lorenzen, Sylvie ... Al-Batran, Salah-Eddin

Published: May 2020 in Journal of Clinical Oncology

Real-life results from the prospective QoliXane trial of the platform for outcome, quality of life, and translational research on pancreatic cancer (PARAGON) registry

Authors (20): Al-Batran, Salah-Eddin; Hofheinz, Ralf Dieter ... Goetze, Thorsten Oliver

Published: May 2020 in Journal of Clinical Oncology

Systemic Therapy Options for Locally Advanced and Metastatic Myxoid, Dedifferentiated and Pleomorphic Liposarcoma

Authors (3): Pink, Daniel; West, Antje; Andreou, Dimosthenis

Published: Apr 2020 in Zentralblatt für Chirurgie

DOI: 10.1055/A-1117-4143

Does rehabilitation pose a risk to patients suffering from haemato-oncological diseases? Results of a monocentric, retrospective analysis in Germany

Authors (13): Kiefer, Thomas; Krahl, Dorothea ... Daeschlein, Georg

Published: Mar 2020 in European Journal of Cancer Care

DOI: 10.1111/ECC.13201

FOLFiRI Plus Ramucirumab Versus Paclitaxel Plus Ramucirumab for Patients with Advanced or Metastatic Adenocarcinoma of The Stomach or Gastroesophageal Junction As Second-Line Therapy - Interim Safety and Efficacy Results from The Phase II Ramiris Study (AIO-STO-0415) of the German Gastric Group at AIO

Authors (15): Lorenzen, Sylvie; Thuss-Patience, Peter ... Al-Batran, Salah-Eddin

Published: Feb 2020 in Oncology Research and Treatment

A Randomized Phase II Study of Durvalumab and Tremelimumab Compared to Doxorubicin in Patients with Advanced or Metastatic Soft Tissue Sarcoma (Medisarc, AIO-STS-0415)

Authors (14): Gruenwald, Viktor; Ivanyi, Philipp ... Fischer, Marc

Published: 2020 in Oncology Research and Treatment

Perioperative atezolizumab in combination with FLOT versus FLOT alone in patients with resectable esophagogastric adenocarcinoma: DANTE, a randomized, open-label phase II trial of the German Gastric Group of the AIO and the SAKK

Authors (20): Al-Batran, S-E.; Pauligk, C. ... Homann, N.

Published: Oct 2019 in Annals of Oncology

FOLFIRI plus ramucirumab versus paclitaxel plus ramucirumab for patients with advanced or metastatic adenocarcinoma of the stomach or gastroesophageal junction as second-line therapy: Interim safety and efficacy results from the phase II RAMIRIS Study (AIO-STO-0415) of the German Gastric Group at AIO

Authors (15): Lorenzen, Sylvie; Thuss-Patience, Peter C. ... Al-Batran, Salah-Eddin
Published: May 2019 in Journal of Clinical Oncology
DOI: 10.1200/JCO.2019.37.15_SUPPL.4023

Perioperative chemotherapy with fluorouracil plus leucovorin, oxaliplatin, and docetaxel versus fluorouracil or capecitabine plus cisplatin and epirubicin for locally advanced, resectable gastric or gastro-oesophageal junction adenocarcinoma (FLOT4): a randomised, phase 2/3 trial

Authors (57): Al-Batran, Salah-Eddin; Homann, Nils ... Hofheinz, Ralf D.
Published: 2019 in The Lancet
DOI: 10.1016/S0140-6736(18)32557-1

A randomized phase II study of durvalumab and tremelimumab compared to doxorubicin in patients with advanced or metastatic soft tissue sarcoma (MEDISARC, AIO-STS 0415)

Authors (9): Gruenwald, Viktor; Bauer, Sebastian ... Tuchscherer, Armin
Published: 2019 in Journal of Clinical Oncology

Modified FOLFOX versus modified FOLFOX plus nivolumab and ipilimumab in patients with previously untreated advanced or metastatic adenocarcinoma of the stomach or gastroesophageal junction: Moonlight, a randomized phase II trial of the German Gastric Group of the AIO

Authors (19): Lorenzen, S.; Pauligk, C. ... Al-Batran, S-E.
Published: 2019 in Annals of Oncology
DOI: 10.1093/ANNONC/MDZ247.161

Baseline Results of the German Health Services Research Study PROSa - quality of care and patient reported outcomes

Authors (15): Eichler, M.; Richter, S. ... Schuler, M. K.
Published: 2019 in Oncology Research and Treatment

Treatment of angiosarcoma with pazopanib and paclitaxel: Results of the phase II trial of the German Interdisciplinary Sarcoma Group (GISG-06 EVA) study

Authors (7): Pink, Daniel; Bauer, Sebastian ... Hohenberger, Peter
Published: May 2018 in Journal of Clinical Oncology
DOI: 10.1200/JCO.2018.36.15_SUPPL.11570

No indication of increased infection rates using low-dose alemtuzumab instead of anti-thymocyte globulin as graft-versus-host disease prophylaxis before allogeneic stem cell transplantation

Authors (7): Neumann, Thomas; Schneidewind, Laila ... Krueger, William
Published: Feb 2018 in Transplant Infectious Disease
DOI: 10.1111/TID.12822

Immunotherapy for sarcoma: Current state and future perspectives

Authors (1): Pink, D.

Published: 2018 in Oncology Research and Treatment

Clinical course and end-of-life care in patients who have died after allogeneic stem cell transplantation

Authors (9): Busemann, Christoph; Juelich, Andreas ... Krueger, William H.

Published: Oct 2017 in Journal of Cancer Research and Clinical Oncology

DOI: 10.1007/S00432-017-2446-Y

A randomized, double-blind, multi-center phase III study evaluating paclitaxel with and without RAD001 in patients with gastric or esophagogastric junction carcinoma who have progressed after therapy with a fluoropyrimidine/platinum-containing regimen (RADPAC)

Authors (20): Pauligk, C.; Lorenzen, S. ... Al-Batran, S-E.

Published: Sep 2017 in Annals of Oncology

DOI: 10.1093/ANNONC/MDX369.054

Effect of KIT and PDGFRA Mutations on Survival in Patients With Gastrointestinal Stromal Tumors Treated With Adjuvant Imatinib An Exploratory Analysis of a Randomized Clinical Trial

Authors (18): Joensuu, Heikki; Wardelmann, Eva ... Reichardt, Peter

Published: May 2017 in JAMA Oncology

DOI: 10.1001/JAMAONCOL.2016.5751

A randomized, double-blind, multi-center phase III study evaluating paclitaxel with and without RAD001 in patients with gastric or esophagogastric junction carcinoma who have progressed after therapy with a fluoropyrimidine/platinum-containing regimen (RADPAC)

Authors (20): Lorenzen, S.; Knorrenschild, Riera J. ... Al-Batran, S. -E.

Published: 2017 in Oncology Research and Treatment

A randomized, double-blind, multicenter phase III study evaluating paclitaxel with and without RAD001 in patients with gastric cancer who have progressed after therapy

Authors (20): Al-Batran, Salah-Eddin; Riera-Knorrenschild, Jorge ... Lorenzen, Sylvie

Published: 2017 in Journal of Clinical Oncology

DOI: 10.1200/JCO.2017.35.4_SUPPL.4

No evidence of increased infection rates using low-dose alemtuzumab instead of ATG as GvHD prophylaxis before allogeneic stem cell transplantation

Authors (5): Neumann, T.; Schneidewind, L. ... Krueger, W.

Published: Oct 2016 in Oncology Research and Treatment

Thrombocytopenia with hemophagocytosis: genetic clarification of a chromosomal translocation t(2;15) as potential underlying alteration

Authors (7): Busemann, C.; Bakchoul, T. ... Schmidt, C. A.

Published: Oct 2016 in Oncology Research and Treatment

Efficacy and safety of Dexrazoxane (DRZ) in sarcoma patients receiving high cumulative doses of anthracycline therapy - a retrospective study including 32 patients

Authors (11): Schuler, Markus K.; Gerdes, Sebastian ... Pink, Daniel

Published: Aug 2016 in BMC Cancer

DOI: 10.1186/S12885-016-2654-X

Reduced platelet transfusions and earlier platelet engraftment using alemtuzumab-based conditioning regimen in allogeneic stem cell transplantation

Authors (10): Neumann, Thomas; Schneidewind, Laila ... Krueger, William H.

Published: May 2016 in Journal of Cancer Research and Clinical Oncology

DOI: 10.1007/S00432-016-2114-7

Adjuvant Imatinib for High-Risk GI Stromal Tumor: Analysis of a Randomized Trial

Authors (19): Joensuu, Heikki; Eriksson, Mikael ... Reichardt, Peter

Published: Jan 2016 in Journal of Clinical Oncology

DOI: 10.1200/JCO.2015.62.9170

Metastatic Potential of Grade I Chondrosarcoma of Bone: Results of a Multi-institutional Study

Authors (9): Andreou, Dimosthenis; Gilg, Magdalena M. ... Streitbuerger, Arne

Published: Jan 2016 in Annals of Surgical Oncology

DOI: 10.1245/S10434-015-4852-1

Histological response assessment following neoadjuvant isolated limb perfusion in patients with primary, localised, high-grade soft tissue sarcoma

Authors (9): Andreou, Dimosthenis; Werner, Mathias ... Tunn, Per-Ulf

Published: 2016 in International Journal of Hyperthermia

DOI: 10.3109/02656736.2015.1109146

Reduced platelet transfusions and earlier platelet engraftment using alemtuzumab based conditioning regimen in allogeneic SCT

Authors (10): Neumann, T.; Schneidewind, L. ... Krueger, W.

Published: Oct 2015 in Oncology Research and Treatment

Three vs. 1 year of adjuvant imatinib (IM) for operable high-risk GIST: The second planned analysis of the randomized SSGXVIII/AIO trial

Authors (19): Joensuu, Heikki; Eriksson, Mikael ... Reichardt, Peter

Published: May 2015 in Journal of Clinical Oncology

Randomized multicenter phase II/III study with adjuvant gemcitabine versus neoadjuvant/adjuvant FOLFIRINOX in resectable pancreatic cancer: The NEPAFOX trial

Authors (12): Hozaeel, Wael; Pauligk, Claudia ... Al-Batran, Salah-Eddin

Published: May 2015 in Journal of Clinical Oncology

DOI: 10.1200/JCO.2015.33.15_SUPPL.TPS4152

Radioembolization in Patients with Progressive Gastrointestinal Stromal Tumor Liver Metastases Undergoing Treatment with Tyrosine Kinase Inhibitors

Authors (7): Rathmann, Nils; Diehl, Steffen J. ... Hohenberger, Peter
Published: Feb 2015 in Journal of Vascular and Interventional Radiology
DOI: 10.1016/J.JVIR.2014.09.020

Combination of Trabectedin and Gemcitabine for Advanced Soft Tissue Sarcomas: Results of a Phase I Dose Escalating Trial of the German Interdisciplinary Sarcoma Group (GISG)

Authors (7): Kasper, Bernd; Reichardt, Peter ... Hohenberger, Peter
Published: Jan 2015 in Marine Drugs
DOI: 10.3390/MD13010379

Prognostic relevance of the mitotic count and the amount of viable tumour after neoadjuvant chemotherapy for primary, localised, high-grade soft tissue sarcoma

Authors (9): Andreou, D.; Werner, M. ... Tunn, P. U.
Published: 2015 in British Journal of Cancer
DOI: 10.1038/BJC.2014.635

Differentiation of myxoid liposarcoma by magnetic resonance imaging: a histopathologic correlation

Authors (10): Loewenthal, D.; Zeile, M. ... Dudeck, O.
Published: Oct 2014 in Acta Radiologica
DOI: 10.1177/0284185113508114

Risk Factors for Gastrointestinal Stromal Tumor Recurrence in Patients Treated With Adjuvant Imatinib

Authors (20): Joensuu, Heikki; Eriksson, Mikael ... Reichardt, Peter
Published: Aug 2014 in Cancer
DOI: 10.1002/CNCR.28669

Prognostic relevance of F-18-FDG PET uptake in patients with locally advanced, extremity soft tissue sarcomas undergoing neoadjuvant isolated limb perfusion with TNF-alpha and melphalan

Authors (8): Andreou, Dimosthenis; Boldt, Henrike ... Tunn, Per-Ulf
Published: Jun 2014 in European Journal of Nuclear Medicine and Molecular Imaging
DOI: 10.1007/S00259-013-2680-8

Phase I study of panobinostat and imatinib in patients with treatment-refractory metastatic gastrointestinal stromal tumors

Authors (15): Bauer, S.; Hilger, R. A. ... Pink, D.
Published: Mar 2014 in British Journal of Cancer
DOI: 10.1038/BJC.2013.826

Gemcitabine and Docetaxel for Epithelioid Sarcoma: Results from a Retrospective, Multi-Institutional Analysis

Authors (9): Pink, Daniel; Richter, Stephan ... Schuler, Markus K.

Published: 2014 in Oncology

DOI: 10.1159/000362602

Sentinel node biopsy in soft tissue sarcoma subtypes with a high propensity for regional lymphatic spread-results of a large prospective trial

Authors (6): Andreou, D.; Boldt, H. ... Tunn, P. -U.

Published: May 2013 in Annals of Oncology

DOI: 10.1093/ANNONC/MDS650

Sorafenib as third- or fourth-line treatment of advanced gastrointestinal stromal tumour and pretreatment including both imatinib and sunitinib, and nilotinib: A retrospective analysis

Authors (11): Montemurro, M.; Gelderblom, H. ... Pink, D.

Published: 2013 in European Journal of Cancer

DOI: 10.1016/J.EJCA.2012.10.009

Incidence of hemophagocytic macrophages in routine bone marrow aspirations

Authors (8): Busemann, C.; Pink, D. ... Krueger, W.

Published: Oct 2012 in Onkologie

Phase I trial of panobinostat (P) and imatinib (IM) in patients with treatment-refractory gastrointestinal stromal tumors (GIST)

Authors (12): Bauer, Sebastian; Hilger, Ralf A. ... Reichardt, Peter

Published: May 2012 in Journal of Clinical Oncology

Efficacy of Trabectedin in Patients with Advanced or Metastatic Alveolar Soft-Part Sarcoma

Authors (5): Pink, Daniel; Bertz-Lepel, Janina ... Reichardt, Peter

Published: May 2012 in Karger Kompass Onkologi

DOI: 10.1159/000338342

One vs Three Years of Adjuvant Imatinib for Operable Gastrointestinal Stromal Tumor A Randomized Trial

Authors (46): Joensuu, Heikki; Joensuu, Heikki ... Reichardt, Peter

Published: Mar 2012 in JAMA

DOI: 10.1001/JAMA.2012.347

Survival and prognostic factors in chondrosarcoma Results in 115 patients with long-term follow-up

Authors (6): Andreou, Dimosthenis; Ruppin, Sebastian ... Tunn, Per-Ulf

Published: Dec 2011 in Acta Orthopaedica

DOI: 10.3109/17453674.2011.636668

Comparison of RECIST and Choi criteria for computed tomographic response evaluation in patients with advanced gastrointestinal stromal tumor treated with sunitinib

Authors (8): Dudeck, O.; Dudeck, O. ... Pink, D.
Published: Aug 2011 in *Annals of Oncology*
DOI: 10.1093/ANNONC/MDQ696

Molecular Targeted Therapy of Gastrointestinal Stromal Tumors

Authors (3): Reichardt, P.; Reichardt, A.; Pink, D.
Published: Jul 2011 in *Current Bioinformatics*
DOI: 10.2174/156800911796191042

Systemic therapy of soft tissue sarcomas

Authors (3): Pink, D.; Bertz-Lepel, J.; Reichardt, P.
Published: Feb 2011 in *Der Pathologe*
DOI: 10.1007/S00292-010-1397-8

Pattern of recurrence in patients with ruptured primary gastrointestinal stromal tumour

Authors (7): Hohenberger, P.; Ronellenfitsch, U. ... Reichardt, P.
Published: Dec 2010 in *British Journal of Surgery*
DOI: 10.1002/BJS.7222

PATIENTS WITH METASTASTIC SOFT TISSUE SARCOMA (STS) BENEFIT FROM REEXPOSITION TO ANTHRACYCLINES WITH COMEDICATION OF DEXRAZOXANE

Authors (6): Bitz, U.; West, A. ... Reichardt, P.
Published: Oct 2010 in *Annals of Oncology*

Role of combined PET-CT after resection of high-risk GISTs than the spread supplement diagnosis before adjuvant therapy

Authors (7): Rahm, J.; Pink, D. ... Reichardt, P.
Published: Feb 2010 in *Onkologie*

Sorafenib: an effective treatment option in patients with intensively pretreated gastrointestinal stromal tumor (GIST)

Authors (9): Bitz, U.; Weber, K. ... Reichardt, P.
Published: Feb 2010 in *Onkologie*

New therapeutic options in the treatment of alveolar soft part sarcoma (ASPS)

Authors (8): Bertz, J.; Pink, D. ... Reichardt, P.
Published: Feb 2010 in *Onkologie*

A Phase I Study of Single-Agent Nilotinib or in Combination with Imatinib in Patients with Imatinib-Resistant Gastrointestinal Stromal Tumors

Authors (18): Demetri, George D.; Casali, Paolo G. ... Reichardt, Peter
Published: Sep 2009 in *Clinical Cancer Research*
DOI: 10.1158/1078-0432.CCR-09-0542

Can a surgical classification provide information on the necessity of adjunctive medical treatment for resected GIST?

Authors (8): Ronellenfitsch, U.; Jakob, J. ... Hohenberger, P.
Published: Sep 2009 in European Journal of Cancer, Supplement
DOI: 10.1016/S1359-6349(09)71994-9

A surgical classification system for resection of GIST primary tumors

Authors (8): Hohenberger, P.; Oladeji, O. ... Wardelmann, E.
Published: Feb 2009 in Annals of Surgical Oncology

NILOTINIB COMPASSIONATE USE IN ADVANCED GIST - A RETROSPECTIVE ANALYSIS

Authors (10): Montemurro, M.; Schoeffski, P. ... Leyvraz, S.
Published: Sep 2008 in Annals of Oncology

Diffusion-weighted magnetic resonance imaging allows monitoring of anticancer treatment effects in patients with soft-tissue sarcomas

Authors (8): Dudeck, Oliver; Zeile, Martin ... Hamm, Bernd
Published: May 2008 in Journal of Magnetic Resonance Imaging
DOI: 10.1002/JMRI.21358

Metastatic small bowel adenocarcinoma: favourable outcome in patients with primary tumour resected - retrospective analysis of 44 cases

Authors (8): Kretzschmar, A.; Stahl, M. ... Hartmann, J. T.
Published: 2007 in European Journal of Cancer, Supplement
DOI: 10.1016/S1359-6349(07)71061-3

Polyclonal resistance in gastrointestinal stromal tumor treated with sequential kinase inhibitors - Response

Authors (12): Wardelmann, Eva; Biermann, Katharina ... Hohenberger, Peter
Published: Oct 2006 in Clinical Cancer Research
DOI: 10.1158/1078-0432.CCR-06-1749

Phase 1 European Organisation for Research and Treatment of Cancer study determining safety of pegylated liposomal doxorubicin (Caelyx (R)) in combination with ifosfamide in previously untreated adult patients with advanced or metastatic soft tissue sarcomas

Authors (10): Nielsen, O. S.; Reichardt, P. ... Judson, I.
Published: Sep 2006 in European Journal of Cancer
DOI: 10.1016/J.EJCA.2006.04.011

Harm or benefit of hormonal treatment in metastatic low-grade endometrial stromal sarcoma: Single center experience with 10 cases and review of the literature

Authors (7): Pink, Daniel; Lindner, Tanja ... Reichardt, Peter
Published: Jun 2006 in Gynecologic Oncology
DOI: 10.1016/J.YGYNO.2005.11.010

Polyclonal evolution of multiple secondary KIT mutations in gastrointestinal stromal tumors under treatment with imatinib mesylate

Authors (12): Wardelmann, E; Merkelbach-Bruse, S ... Hohenberger, P

Published: Mar 2006 in Clinical Cancer Research

DOI: 10.1158/1078-0432.CCR-05-1211

Final data of the EORTC phase 1 study determining safety of Caelyx in combination with Ifosfamide in previously untreated adult patients with advanced or metastatic soft tissues sarcomas

Authors (8): Nielsen, O. S.; Reichardt, P. ... Judson, I.

Published: Oct 2005 in European Journal of Cancer, Supplement

Capecitabine and docetaxel in metastatic gastric cancer, an ongoing phase II study

Authors (9): Thuss-Patience, P. C.; Kretzschmar, A. ... Reichardt, P.

Published: Oct 2005 in European Journal of Cancer, Supplement

Gastrointestinal stromal tumors (GIST)

Authors (5): Reichardt, P; Pink, D ... Hohenberger, P

Published: Apr 2004 in Zeitschrift für Gastroenterologie

DOI: 10.1055/S-2004-812691

Resection of progressive or residual tumor after treatment with imatinib for advanced GI stromal tumors

Authors (7): Hohenberger, P; Schneider, U ... Reichardt, P

Published: Feb 2004 in Annals of Surgical Oncology

DOI: 10.1007/BF02523976

A Phase I/II trial of the oral PKC-inhibitor PKC412 (PKC) and imatinib mesylate (IM) in patients (pts) with gastrointestinal stromal tumor (GIST) refractory to IM

Authors (10): Reichardt, Peter; Pink, Daniel ... Blanke, Charles D.

Published: 2004 in Annals of Oncology

Chemotherapy in alveolar soft part sarcomas: What do we know?

Authors (6): Reichardt, P; Lindner, T ... Dorken, B

Published: Jul 2003 in European Journal of Cancer

DOI: 10.1016/S0959-8049(03)00264-8

Morphology of gastrointestinal stromal tumors in advanced stages of the disease: Baseline findings before chemotherapy with imatinib

Authors (10): Jost, D; Stroszczyński, C ... Felix, R

Published: Jun 2003 in RöFo - Fortschritte Auf Dem Gebiet der Röntgenstrahlen und der Bildgebenden Verfahren


DOI: 10.1055/S-2003-39921

Oral trofosfamide: An active and well-tolerated maintenance therapy for adult patients with advanced bone and soft tissue sarcomas. Results of a retrospective analysis

Authors (6): Reichardt, P; Pink, D ... Dorken, B
Published: Dec 2002 in Karger Kompass Onkologi
DOI: 10.1159/000068625

Verified reviews

REVIEW SUMMARY



REVIEWER SUMMARY

(8) Oncology Research and Treatment WOS	(1) Sarcoma
(1) Surgery Research and Practice	(1) Expert Opinion on Drug Safety WOS
(1) Drug Design, Development and Therapy WOS	(1) BMC Cancer WOS